

Scilab Textbook Companion for
Algebra
by P. Abbott And M. E. Wardle¹

Created by
Damarla Krishna
B.Tech
Computer Engineering
V.R.Siddhartha Engineering college
College Teacher
S.rajesh
Cross-Checked by
Chaitanya

May 6, 2014

¹Funded by a grant from the National Mission on Education through ICT,
<http://spoken-tutorial.org/NMEICT-Intro>. This Textbook Companion and Scilab
codes written in it can be downloaded from the "Textbook Companion Project"
section at the website <http://scilab.in>

Book Description

Title: Algebra

Author: P. Abbott And M. E. Wardle

Publisher: Teach Yourself, Britain

Edition: 3

Year: 1991

ISBN: 0-340-54914-9

Scilab numbering policy used in this document and the relation to the above book.

Exa Example (Solved example)

Eqn Equation (Particular equation of the above book)

AP Appendix to Example(Scilab Code that is an Appednix to a particular Example of the above book)

For example, Exa 3.51 means solved example 3.51 of this book. Sec 2.3 means a scilab code whose theory is explained in Section 2.3 of the book.

Contents

List of Scilab Codes	5
1 The meaning of algebra	12
2 Elementary Operations	14
3 Brackets and Operations with Them	21
4 Positive and Negative numbers	25
5 Expressions and Equations	26
6 Linear Equations	36
7 Formulae	41
8 Simultaneous Equations	45
9 Linear Inequalities	50
10 Graphical representation of Quantities	59
11 The law of a straight line	62
12 Using inequalities to define regions	67
13 Multiplication of algebraic expressions	72
14 Factors	77

15 Fractions	87
16 Graphs of Quadratic Functions	93
17 Quadratic Equations	102
18 Indices	111
19 Logarithms	113
21 Variation	120
22 The determination of Laws	125
23 Rational and Irrational Numbers	128
24 Arithmetical and Geometrical Series	130

List of Scilab Codes

Exa 1.1	Conversion of pounds to pence	12
Exa 1.2	Distance car traveled	12
Exa 1.3	result in algebraic form	13
Exa 2.1	simplifying	14
Exa 2.2	Minimizing the terms	14
Exa 2.3	value of algebraic expression	15
Exa 2.4	Multiplication of powers of a number	15
Exa 2.5	Division of powers	16
Exa 2.6	Algebraic division	16
Exa 2.7	Sum of terms	16
Exa 2.8	Addition of algebraic terms	17
Exa 2.9	Subtraction of terms	17
Exa 2.10	simplification of algebraic expression	18
Exa 2.11	Algebraic subtraction	18
Exa 2.12	Division of terms	18
Exa 2.13	Algebraic Multiplication	19
Exa 2.14	Division of algebraic terms	19
Exa 3.1	Multiplication of expressions within brackets	21
Exa 3.2	Addition of expressions within brackets	21
Exa 3.3	Subtraction of expressions within brackets	22
Exa 3.4	Algebraic Difference	22
Exa 3.5	Substitution of values in algebraic expression	22
Exa 3.6	Systems of brackets	23
Exa 3.7	Multiple brackets	23
Exa 3.8	Simplifying brackets	23
Exa 4.1	Subtraction	25
Exa 5.1	Nth term of the sequence	26
Exa 5.2.a	Using function machines	26

Exa 5.2.b	Value substitution in function machine	27
Exa 5.3.a	substitution in function machine	27
Exa 5.3.b	Square and add	28
Exa 5.4.a	Terms of the sequence	28
Exa 5.4.b	sequence	28
Exa 5.4.c	First 5 terms of the sequence	29
Exa 5.5.a	Sequence terms	29
Exa 5.5.b	First 5 terms	30
Exa 5.5.c	evaluate the expression	30
Exa 5.6.a	drawing function machine	31
Exa 5.6.b	simplifying by removing brackets	31
Exa 5.7.a	Composite rule fg	31
Exa 5.7.b	Composite rule gf	32
Exa 5.8	Inverse of the rule	32
Exa 5.9	Inverse	33
Exa 5.10	Substitute number in the rule	33
Exa 5.11	Finding x	33
Exa 5.12	Value of x	34
Exa 5.13	Finding n	34
Exa 6.1	Solving an equation	36
Exa 6.2	Finding 3 consecutive odd numbers	36
Exa 6.3	Solving the equation	37
Exa 6.4	Solve equation	38
Exa 6.5	Equating 2 expressions	38
Exa 6.6	equation solution	39
Exa 6.7	Number of men and women at dance party	39
Exa 6.8	Finding the distance	40
Exa 6.9	Finding the weekly increase	40
Exa 7.1	Area of pyramid	41
Exa 7.2	Finding L	41
Exa 7.3	Finding f and d terms	42
Exa 7.4	Transform L	42
Exa 7.5	Finding velocity from equation	42
Exa 7.6	Finding n	43
Exa 7.7	Length of pendulum	43
Exa 7.8	Solving the equation	44
Exa 7.9	Solving x	44
Exa 8.1	Solving the eqautions	45

Exa 8.2	Finding x and y values from equation	45
Exa 8.3	Solving the equation	46
Exa 8.4	Finding R1 and R2	47
Exa 8.5	numbers of simultaneous equations	47
Exa 8.6	Values of m and b	48
Exa 8.7	total books sold and books sold at 25p	48
Exa 9.1.a	Inequality of n less than 3 on 0 to 10 number line . . .	50
Exa 9.1.b	Inequality of n greater than or equal to 6 on 0 to 10 number line	50
Exa 9.1.c	Inequality of n between 2 and 5 on 0 to 10 number line	51
Exa 9.2.a	Number line representing inequality of n greater than 7	51
Exa 9.2.b	Number line representing n less than or equal to 3 . . .	52
Exa 9.2.c	Representing inequality on number line	52
Exa 9.3	Solving the inequality	53
Exa 9.4	Solving the greater than inequality	53
Exa 9.5	Solving the greater than or equal to inequality	54
Exa 9.6	Solving the less than inequality	54
Exa 9.7	Satisfying both the inequalities	55
Exa 9.8	Finding positive values in inequalities	56
Exa 9.9	Value of x satisfying the given inequalities	56
Exa 9.10	Values satisfying the inequalities	57
Exa 10.1	Annual premiums charged at various ages	59
Exa 10.2	Resistance for given length of wires	60
Exa 10.3	to show the relation between time and distance	60
Exa 11.1	Connection between net profit and number of customers	62
Exa 11.2	The law represented by a straight line graph	63
Exa 11.3	Graph of the given equation	64
Exa 11.4	Graph of the equation	64
Exa 11.5	Graphs of straight lines not passing through origins . .	65
Exa 11.6	Graphical solution of simultaneous equations	66
Exa 12.1	Graph the region described by inequalities	67
Exa 12.2	Finding one point in the region described by inequalities	68
Exa 12.3	Greatest and least values in the region	69
Exa 12.4	Finding maximum profit with linear programming . .	69
Exa 12.5	Minimum cost of feed	70
Exa 13.1	Product of binomial expressions	72
Exa 13.2	Multiplication of algebraic expressions	72
Exa 13.3	Multiplication of algebraic expressions	73

Exa 13.4	Multiplication of algebraic expressions	73
Exa 13.5	Product of algebraic expressions	74
Exa 13.6	Multiplication of a trinomial	74
Exa 13.7	Product of a trinomial	74
Exa 13.8	Square of a binomial expression	75
Exa 13.9	Square of a trinomial	75
Exa 13.10	Cube of a binomial	76
Exa 13.11	Product of sum and difference	76
Exa 14.1	factors of given expression	77
Exa 14.2	Factorize given expression	77
Exa 14.3	Finding factors	78
Exa 14.4	Factorize if possible	78
Exa 14.5	Factors of expression	78
Exa 14.6	Factorize the given expression	79
Exa 14.7	Factorize the given expression in terms of x	79
Exa 14.8	Factorize the given expression in terms of y	79
Exa 14.9	Factorize the expression	80
Exa 14.10	Factorize	80
Exa 14.11	Factorize	80
Exa 14.12	Factors of expression	81
Exa 14.13	Factorize of expression	81
Exa 14.14	Factorize the given expression	82
Exa 14.15	Representing square of binomial expression	82
Exa 14.16	Checking complete square or not	83
Exa 14.17	Checking complete square or not	83
Exa 14.18	Factorize	84
Exa 14.19	Factorize the expression	84
Exa 14.20	Factorize the given expression	84
Exa 14.21	Factorize the expression	85
Exa 14.22	Difference of two squares	85
Exa 14.23	Area of ring between two concentric circles	85
Exa 15.1	Algebraic fraction	87
Exa 15.2	Simplifying the factors	87
Exa 15.3	Reduction of fractions	88
Exa 15.4	Division of fractions	88
Exa 15.5	Multiplication of fractions	88
Exa 15.6	Subtraction of fractions	89
Exa 15.7	Fraction Subtraction	89

Exa 15.8	Subtraction of fractions	90
Exa 15.9	Division of fractions	90
Exa 15.10	Conversion of R in terms of R1 and R2	91
Exa 15.11	solving simple equations involving algebraic fractions .	91
Exa 15.12	Solving algebraic fraction for n	92
Exa 16.1	Circumference of circle	93
Exa 16.2	Graph of given straight line	93
Exa 16.3	Straight line equation	94
Exa 16.4	Graph of a function of second degree	95
Exa 16.5	Graph of parabola	95
Exa 16.6	Curves of different parabolas	96
Exa 16.7	Curves of given expression	97
Exa 16.8	Change of axis	97
Exa 16.9	Graph of curves	98
Exa 16.10	graph of given expression	98
Exa 16.11	Graph of Y	99
Exa 16.12	Graph of parabola	99
Exa 16.13	Using graphs to solve quadratic inequalities	100
Exa 16.14	Using quadratic inequalities to describe regions	101
Exa 17.1	Solving quadratic equation	102
Exa 17.2	Solving quadratic equation	102
Exa 17.3	Solving equation	103
Exa 17.4	Solution of quadratic equation	103
Exa 17.5	quadratic equation Solution	104
Exa 17.6	quadratic equation Solution	104
Exa 17.7	Solving the equation	105
Exa 17.8	Time taken when body is projected vertically upwards	105
Exa 17.9	Speed and time for journey	106
Exa 17.10	Solving first degree equations	107
Exa 17.11	Solving symmetric equations	107
Exa 17.12	Solving the equations	108
Exa 17.13	Solving quadratic inequalaities	108
Exa 17.14	Solving the inequality	109
Exa 18.1	Graph of exponential function	111
Exa 18.2	Operations with standard forms	111
Exa 19.1	Finding values from the graph	113
Exa 19.2	Notation for logarithms	114
Exa 19.3	Antilogarithm	114

Exa 19.4	Logarithm of x	114
Exa 19.5	Finding the logarithm	115
Exa 19.6	Finding the Nth root	115
Exa 19.7	Finding the logarithms of given numbers	116
Exa 19.8	Finding the number whose log value is given	116
Exa 19.9	Sum of logarithms	117
Exa 19.10	Difference of logarithms	117
Exa 19.11	Multiplication of logarithm	117
Exa 19.12	Multiplication of logarithm	118
Exa 19.13	Division of logarithm	118
Exa 19.14	Finding the logarithm	119
Exa 21.1	Graph of spring extension for different weights	120
Exa 21.2	Comparison of voltmeters	121
Exa 21.3	Inverse variation	121
Exa 21.4	Time of vibration of simple pendulum	122
Exa 21.5	Triangle area	122
Exa 21.6	Volume varies inversely with pressure	123
Exa 21.7	Relation between R and l	123
Exa 21.8	Joint variation	124
Exa 21.9	F varies directly with strength and inversely with distance	124
Exa 22.1	Plotting against power of a number	125
Exa 22.2	Law connecting the logarithms	126
Exa 23.1	Operation with surds	128
Exa 23.2	Rationalise	128
Exa 23.3	Simplify surds	129
Exa 24.1	Arithmetic series	130
Exa 24.2	Nth term in arithmetic series	130
Exa 24.3	Arithmetic mean	131
Exa 24.4	Finding common difference in AP	131
Exa 24.5	Finding n value in arithmetic sum	132
Exa 24.6	Geometric series	132
Exa 24.7	Seventh term of given series	133
Exa 24.8	Eighth term of given series	133
Exa 24.9	Finding the 5th term	134
Exa 24.10	Finding the common ratio	134
Exa 24.11	Sum of seven terms of the series	134
Exa 24.12	Sum of 7 terms	135

Exa 24.13 Sum of infinite terms	135
Exa 24.14 Sum to infinity of the series	136

Chapter 1

The meaning of algebra

Scilab code Exa 1.1 Conversion of pounds to pence

```
1
2 //ex1: no. of pence in x pounds added to y pence
3 clear;
4 clc;
5 close;
6 // ' to express pounds in pence , multiply by 100 '
7 x=poly(0, 'x');
8 x_pounds=100*x; // x_pounds=100*x pence
9 mprintf(' total no. of pence =100x+y ')
```

Scilab code Exa 1.2 Distance car traveled

```
1
2 //ex2:car travels t h at v km/h.how far it go in 20
   min
3 clear;
4 clc;
5 close;
```

```
6 // 'car goes 1*v km in 1h 2*v km in 2h ... t*v km  
in th'  
7 x=20/60;  
8 mprintf ('\n car travels %f*vkm in 20min ',x)
```

Scilab code Exa 1.3 result in algebraic form

```
1  
2 // ex3  
3 clear;  
4 clc;  
5 close;  
6 x=poly(0,'x');  
7 y=poly(0,'y');  
8 sum1=3*x+5;  
9 divisor=4*y;  
10 mprintf (" result in algebraic form: \n(3*x+5)/(4*y)")
```

Chapter 2

Elementary Operations

Scilab code Exa 2.1 simplifying

```
1
2 // simplify 5a+6b+2a-3b
3 clear;
4 clc;
5 close;
6 //(' collecting like terms \n');
7 x=5+2;y=6-3;
8 printf(" total=%ia+%ib" ,x,y);
```

Scilab code Exa 2.2 Minimizing the terms

```
1
2 clear;
3 clc;
4 close;
5 // ' collecting like terms ;
6 x=15+7;y=6-3;
7 printf(" total=%ix+%iy-5" ,x,y)
```

Scilab code Exa 2.3 value of algebraic expression

```
1 //find value of 6x+2y-3x+4y-3 when x=3 & y=2
2 clear;
3 clc;
4 close;
5 x_coeff=6-3; y_coeff=2+4;
6 //”substitue given values”
7 x=3;y=2;
8 val=x_coeff*x + y_coeff*y -3
```

Scilab code Exa 2.4 Multiplication of powers of a number

```
1
2 clc;
3 clear;
4 close;
5 x=poly(0, 'x');
6 p1=x^4;
7 p2=p1;
8 ex1_ans=p1*p2
9 a=poly(0, 'a');
10 p1=2*a^7;
11 p2=a^3;
12 ex2_ans=p1*p2
13 b=poly(0, 'b');
14 p1=5*b^2;
15 p2=3*b^5;
16 ex3_ans=p1*p2
17 //a^2*ab^2
18 ex4_ans=string('a^3b^3')
```

Scilab code Exa 2.5 Division of powers

```
1
2 //84a^6/12a^2
3 clear;
4 clc;
5 close;
6 a=poly(0, 'a');
7 p1=84*a^6;
8 p2=12*a^2;
9 p=p1/p2;
10 horner(p, a)
```

Scilab code Exa 2.6 Algebraic division

```
1
2 //3x^4/6x^6
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 p1=3*x^4;
8 p2=6*x^6;
9 p=p1/p2
```

Scilab code Exa 2.7 Sum of terms

```
1
2 //x/3 + x/5
```

```
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 p1=x/3;
8 p2=x/5;
9 p=p1+p2;
10 q=8*x/15;
11 if (p==q)
12   mprintf (" val=%s\n", val)
13 end
```

Scilab code Exa 2.8 Addition of algebraic terms

```
1
2 //sum of 3/a + 4/b
3 clear;
4 clc;
5 close;
6 val=string("(3b + 4a)/(ab)")
```

Scilab code Exa 2.9 Subtraction of terms

```
1
2 //x/y - a/b
3 clear;
4 clc;
5 close;
6 val=string(' (bx-ay)/(by) ')
```

Scilab code Exa 2.10 simplification of algebraic expression

```
1
2 //2a/15 + 5b/12
3 clear;
4 clc;
5 close;
6 d=int32([15,12]); //”L.C.M of denominators”
7 k=lcm(d);
8 a_coeff=60/15*2;
9 b_coeff=60/12*5;
10 disp('ans=')
11 mprintf("(%ia+%ib)/%i",a_coeff,b_coeff,k)
```

Scilab code Exa 2.11 Algebraic subtraction

```
1
2 //x/12a^2b - y/18ab^2
3 clear;
4 clc;
5 close;
6 d=int32([18,12]); //L.C.M of denominators
7 k=lcm(d);
8 //”L.C.M of a^2*b and a*b^2 is a^2*b^2”
9 x_coeff=36/12;
10 y_coeff=36/18;
11 disp('ans=')
12 mprintf("(%ibx-%iay)/%ia^2b^2",x_coeff,y_coeff,k)
```

Scilab code Exa 2.12 Division of terms

```
1
2 //4*x^3*y/(6*x*y^3)
```

```

3 clear;
4 clc;
5 close;
6 d=int32([4,6]);
7 m=4/gcd(d);
8 n=6/gcd(d);
9 x=poly(0,'x');y=poly(0,'y');
10 p1=x^3;p2=x;p=p1/p2;
11 q1=y;q2=y^3;q=q1/q2;
12 //val=m/n*p*q
13 disp('val=')
14 mprintf("%i/%i*x^2/y^2",m,n)

```

Scilab code Exa 2.13 Algebraic Multiplication

```

1 //6*a*x^4*2*y^3/(14*x^2*y^2*3*a^4)
2 clear;
3 clc;
4 close;
5 x=poly(0,'x');y=poly(0,'y');a=poly(0,'a');
6 num=6*2/(14*3);
7 p1=x^4;p2=x^2;p=p1/p2;
8 q1=y^3;q2=y^2;q=q1/q2;
9 r1=a;r2=a^4;r=r1/r2;
10 //val=num*p*q*r
11 disp('val=')
12 mprintf("%f*x^2*y/a^3",num)

```

Scilab code Exa 2.14 Division of algebraic terms

```

1
2 // (8x^3)/(5a^2y) *(3a)/(4x^2)

```

```
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');y=poly(0, 'y');a=poly(0, 'a');
7 p1=x^3;p2=x^2;p=p1/p2;
8 q=1/y;
9 r1=a;r2=a^2;r=r1/r2;
10 num=8*3/(5*4);
11 // val=num*p*q*r
12 disp('val=')
13 mprintf("%f*x/(a*y)",num)
```

Chapter 3

Brackets and Operations with Them

Scilab code Exa 3.1 Multiplication of expressions within brackets

```
1
2
3 // simplify a(a^2+ab+b^2)
4 clear;
5 clc;
6 close;
7 val=string('a^3+(a^2)b+a(b^2)')
```

Scilab code Exa 3.2 Addition of expressions within brackets

```
1
2
3
4 // simplify 2(4a+3b)+6(2a-b)
5 clear;
6 clc;
```

```
7 close;
8 //b gets cancelled
9 val=string('20a')
```

Scilab code Exa 3.3 Subtraction of expressions within brackets

```
1
2 // simplify 5x-(5y+2x)
3 clear;
4 clc;
5 close;
6 //on adding like terms
7 val=string('3x-5y')
```

Scilab code Exa 3.4 Algebraic Difference

```
1
2 // simplify 3(4a-b)-2(3a-2b)
3 clear;
4 clc;
5 close;
6 //by removing braces
7 a_coeff=3*4-2*3;b_coeff=-3-2*-2;
8 mprintf(" total=%ia+%ib\n",a_coeff,b_coeff);
```

Scilab code Exa 3.5 Substitution of values in algebraic expression

```
1
2 //x(2x-y)-x(x-y)-y(x+2y)
3 clear;
```

```
4 clc;
5 close;
6 disp("1) after simplifying")
7 val=string('x^2-x*y-2*y^2')
8 disp("2) after substituting given values")
9 x=2;y=1;
10 val=evstr(val)
```

Scilab code Exa 3.6 Systems of brackets

```
1 // simplify 2(3a+5(b+c))
2 clear;
3 clc;
4 close;
5 //by removing braces ,
6 val=string('6a+10b+10c')
```

Scilab code Exa 3.7 Multiple brackets

```
1 // simplify 3(3a-2(a-b))
2 clear;
3 clc;
4 close;
5 //by removing braces ,
6 a_coeff=3*3-3*2;b_coeff=3*2;
7 mprintf(" total=%ia+%ib\n",a_coeff,b_coeff);
```

Scilab code Exa 3.8 Simplifying brackets

```
1
2 // simplify 12a-2[3a-(4-2(a-3)) ]
3 clear;
4 clc;
5 close;
6 a=poly(0, 'a');
7 p=12*a-2*[3*a-{4-2*(a-3)}]
```

Chapter 4

Positive and Negative numbers

Scilab code Exa 4.1 Subtraction

```
1
2 clear;
3 clc;
4 close;
5 disp("subtraction")
6 x=poly(0,'x');
7 b=poly(0,'b');
8 val1=5*x-(-3*x)
9 val2=-2*b-(-4*b)
```

Chapter 5

Expressions and Equations

Scilab code Exa 5.1 Nth term of the sequence

```
1
2 clc;
3 clear;
4 close;
5 //46ex
6 //nth term in the sequence 2 ,4 ,6 ,8 ,10... is 2n. 5th
  term is?
7 term5=2*5
8 //nth term in the sequence 1 ,4 ,9 ,16 ,25 is n^2. 5th
  term is?
9 ex2_term5=5^2
```

Scilab code Exa 5.2.a Using function machines

```
1
2 // 5 ,8 ,11 ,14 ,17.....
3 clear;
4 clc;
```

```
5 close;
6 a=5; //a is starting number of the series
7 n=5; //given n=5
8 d=3; //difference between the numbers
9 td=a+(n-1)*d; //formula to be used for arithmetic
    series
10 mprintf("ans= %i",td)
```

Scilab code Exa 5.2.b Value substitution in function machine

```
1
2 // 9 ,12 ,15 ,18 ,21.....
3 clear;
4 clc;
5 close;
6 a=9; //a is starting number of the series
7 n=5; //given n=5
8 d=3; //difference between the numbers
9 td=a+(n-1)*d; //formula to be used for arithmetic
    series
10 mprintf("ans= %i",td)
```

Scilab code Exa 5.3.a substitution in function machine

```
1
2 // 5 ,12 ,19 ,26 ,33.....
3 clear;
4 clc;
5 close;
6 a=5; //a is starting number of the series
7 n=5; //given n=5
8 d=7; //difference between the numbers
```

```
9 td=a+(n-1)*d; //formula to be used for arithmetic
series
10 mprintf(" result= %i" ,td)
```

Scilab code Exa 5.3.b Square and add

```
1
2 // 3 ,6 ,11 ,18 ,27.....
3 clear;
4 clc;
5 close;
6 n=5;
7 td=n^2+2;
8 mprintf(" result= %i" ,td)
```

Scilab code Exa 5.4.a Terms of the sequence

```
1
2 // 5n-2
3 clear;
4 clc;
5 close;
6 mprintf("the first five terms of the sequence are: \
n" );
7 for n=1:5
8   disp(5*n-2)
9 end
```

Scilab code Exa 5.4.b sequence

```
1
2 //draw function machine for 4(n+5)
3 clear;
4 clc;
5 close;
6 mprintf("the first five terms of the sequence are: \
n");
7 for n=1:5
8 disp(4*(n+5))
9 end
```

Scilab code Exa 5.4.c First 5 terms of the sequence

```
1
2 //draw function machine for n^2+5
3 clear;
4 clc;
5 close;
6 mprintf("the first five terms of the sequence are: \
n");
7 for n=1:5
8 disp(n^2+5)
9 end
```

Scilab code Exa 5.5.a Sequence terms

```
1
2 // 4(5n-2)
3 clear;
4 clc;
5 close;
6 mprintf("the first five terms of the sequence are: \
n");
```

```
7 for n=1:5  
8     disp(4*(5*n-2))  
9 end
```

Scilab code Exa 5.5.b First 5 terms

```
1  
2 // 4(n+5)+3  
3 clear;  
4 clc;  
5 close;  
6 mprintf("the first five terms of the sequence are: \  
           n");  
7 for n=1:5  
8     disp(4*(n+5)+3)  
9 end
```

Scilab code Exa 5.5.c evaluate the expression

```
1  
2 // 2(n^2+5)  
3 clear;  
4 clc;  
5 close;  
6 mprintf("the first five terms of the sequence are: \  
           n");  
7 for n=1:5  
8     disp(2*(n^2+5))  
9 end
```

Scilab code Exa 5.6.a drawing function machine

```
1 // evaluate 2*(3*n^2+5)-4
2 clear;
3 clc;
4 close;
5 n=7; // given
6 disp('ans=')
7 disp(2*(3*n^2+5)-4)
```

Scilab code Exa 5.6.b simplifying by removing brackets

```
1 // evaluate 2*(3*n^2+5)-4 by removing brackets
2 clear;
3 clc;
4 close;
5 n=poly(0, 'n');
6 p1=2*(3*n^2+5)-4; // removing braces
7 n=7; // given
8 val=2*(3*n^2+5)-4
```

Scilab code Exa 5.7.a Composite rule fg

```
1 // f(x) : x->3x; g(x) : x->x-2; fg(5)
2 clear;
3 clc;
4 close;
5 x=poly(0, 'x');
6 f=3*x;
7 g=x-2;
```

```
9 // fg= f( g( x ))=f ( x-2)=3*(x-2)
10 x=5;
11 fg=3*(x-2)
```

Scilab code Exa 5.7.b Composite rule gf

```
1
2 // f ( x ) : x->x+3;g ( x ) : x->x ^ 2; gf ( 5 )
3 clear;
4 clc;
5 close;
6 x=poly ( 0 , 'x' );
7 f=x+3;
8 g=x^2;
9 // gf= g( f ( x ))=g ( x+3)=(x+3) ^ 2
10 x=5;
11 gf=(x+3) ^ 2
```

Scilab code Exa 5.8 Inverse of the rule

```
1
2 // inverse of x->3x+4
3 clear;
4 clc;
5 close;
6 x=poly ( 0 , 'x' );
7 p1=3*x+4;
8 disp ( p1 , "x->" )
9 mprintf (" inverse of the rule is :\n (x-4)/3" )
```

Scilab code Exa 5.9 Inverse

```
1
2 // inverse of x->3(x+4)-2
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 mprintf("1) inverse of the rule is:\n (x+2)/3-4 \n ")
;
8 x=6; // given
9 x=3*(x+4)-2;
10 mprintf("2)");
11 inv_val=(x+2)/3-4
```

Scilab code Exa 5.10 Substitute number in the rule

```
1
2 clear;
3 clc;
4 close;
5 for x=1:20
6   if (3*x+4==19)
7     mprintf("the number which gives 19 as result is
%0i", x)
8   end
9 end
```

Scilab code Exa 5.11 Finding x

```
1
2 clear;
3 clc;
```

```
4 close;
5 for x=1:10
6 if (5*x-7==8)
7 mprintf("the value of x is %i\n",x)
8 break
9 end
10 end
```

Scilab code Exa 5.12 Value of x

```
1
2 clear;
3 clc;
4 close;
5 for x=1:20
6 if (5*(x-3)==20)
7 mprintf("the value of x is %i \n",x)
8 break
9 end
10 end
```

Scilab code Exa 5.13 Finding n

```
1
2 clear;
3 clc;
4 close;
5 for n=1:60
6 if (3*(2*n-5)+4==55)
7 mprintf("the value of n is %i \n",n)
8 break
9 end
10 end
```


Chapter 6

Linear Equations

Scilab code Exa 6.1 Solving an equation

```
1
2 //8 times a number is decreased by 5 the result is
3     123
4 clear;
5 clc;
6 close;
7 x=poly(0, 'x');
8 //let x be the number
9 expr=8*x-5;
10 for x=1:100
11     if ((8*x-5)==123)
12         mprintf("the number is %i", x)
13     end
14 end
```

Scilab code Exa 6.2 Finding 3 consecutive odd numbers

1

```

2 //sum of 3 consecutive odd no.'s is 81
3 clear;
4 clc;
5 close;
6 // let the 3 consecutive odd numbers be 2n+1,2n+3,2n
    +5
7 n=poly(0,'n');
8 expr=(2*n+1)+(2*n+3)+(2*n+5);
9 for n=1:100
10 if ((2*n+1)+(2*n+3)+(2*n+5)==81)
11     //mpprintf(" n=%i \n",n);
12     break
13 end
14 end
15 n1=2*n+1;
16 n2=2*n+3;
17 n3=2*n+5;
18 mpprintf("\n the numbers are %i ,%i , %i\n",n1,n2,n3)

```

Scilab code Exa 6.3 Solving the equation

```

1
2 clear;
3 clc;
4 close;
5 x=poly(0,'x');
6 p1=(6*x-5);
7 p2=(2*x+9);
8 p3=p1-p2;
9 x=roots(p3)
10 left=6*x-5; //check by substituion
11 right=2*x+9;
12 if(left==right)
13     mpprintf(" satisfies the equation \n")
14 end

```

Scilab code Exa 6.4 Solve equation

```
1
2 clear;
3 clc;
4 close;
5 x=poly(0, 'x');
6 p1=10*(x-4);
7 p2=4*(2*x-1)+5;
8 p3=p1-p2;
9 x=roots(p3);
10 left=10*(x-4); //substitution
11 right=4*(2*x-1)+5;
12 if(left==right)
13   format(5)
14 x
15 end
```

Scilab code Exa 6.5 Equating 2 expressions

```
1
2 clear;
3 clc;
4 close;
5 x=poly(0, 'x');
6 p1=3*x/5+x/2;
7 p2=5*x/4-3;
8 p3=p1-p2;
9 x=roots(p3) //by the law of signs
```

Scilab code Exa 6.6 equation solution

```
1
2 clear;
3 clc;
4 close;
5 x=poly(0, 'x');
6 p1=4*x-(x-2)/3;
7 p2=5+(2*x+1)/4;
8 p3=p1-p2;
9 x=roots(p3)
10 left=4*x-(x-2)/3; // substitution
11 right=5+(2*x+1)/4;
12 if(left==right)
13 mprintf(" satisfies the equation \n")
14 end
```

Scilab code Exa 6.7 Number of men and women at dance party

```
1 clear;
2 clc;
3 close;
4 x=poly(0, 'x');
5 // let x be the number of men.then , x+10 is no. of
     women as per given data
6 money_paid_by_men=20*x;
7 money_paid_by_women=15*x + 10;
8 total=1620
9 expr=8*x-5;
10 for x=1:100
11   if((20*x + 15*(x + 10))==1620)
12     mprintf(" the number of men is %i \n",x)
13     mprintf(" the number of women is %i",x+10)
14   end
15 end
```

Scilab code Exa 6.8 Finding the distance

```
1 clear;
2 clc;
3 close;
4 x=poly(0, 'x');
5 //let x be distance in kilometers
6 time_1st_journey=x/64
7 time_2nd_journey=x/80
8 total_time=9;
9 for x=1:500
10   if((x/64 + x/80) == 9)
11     mprintf("the value of x is %iKm \n",x)
12   end
13 end
```

Scilab code Exa 6.9 Finding the weekly increase

```
1 clear;
2 clc;
3 close;
4 x=poly(0, 'x');
5 //let x be amount of increase in pence
6 mans_new_wage=480+x;
7 womens_new_wage=370+x;
8 for x=1:500
9   if((480+x) == (6*(370+x)/5)) //by given data
10     mprintf("the weekly increase is %ip \n",x)
11   end
12 end
```

Chapter 7

Formulae

Scilab code Exa 7.1 Area of pyramid

```
1
2 //total area(A) of the surface of a square pyramid
3 clear;
4 clc;
5 close;
6 //AB=a , OQ=d
7 //OQ is perpendicular to AB. Represents height of
     trianlge AOB
8 tot_area=string('base_area + triangles_area')
9 //base_area=a^2. triangles_area=4*(a*d)/2
10 A=string('a(a+2d)')
```

Scilab code Exa 7.2 Finding L

```
1
2 //L=W(T-t)/w - t
3 clear;
4 clc;
```

```
5 close;
6 W=380;T=28.5;t=8.5;w=115; // given
7 L=string( '(W*(T-t)/w)-t');
8 disp(" substituting given values")
9 L=evstr(L)
```

Scilab code Exa 7.3 Finding f and d terms

```
1
2 //T=%pi*f*d^3/16
3 clear;
4 clc;
5 close;
6 disp("(1) f in terms of other quantities is")
7 f=string('16*T/(%pi*d^3)')
8 disp("(2) d in terms of other quantities is ")
9 d=string('(16*T/(%pi*f))^(1/3)')
```

Scilab code Exa 7.4 Transform L

```
1
2 //transform L=l+(8*d^2)/(3*l)
3 clear;
4 clc;
5 close;
6 disp(" d in terms of other quantities is")
7 //3*l*L=3*l^2+8*d^2
8 d=string('sqrt((3*l*L-3*L^2)/8)')
```

Scilab code Exa 7.5 Finding velocity from equation

```
1
2 //the velocity ,V, of water flowing through a pipe ,
3   occurs in the formula , $h=0.03*L*V^2/(D^2*g)$ 
4 clear;
5 clc;
6 disp("changing the subject of formula to V")
7 // $V^2/(2*g)=H*d/(0.03*L)$ 
8 V=string(sqrt(2*g*h*D/(0.03*L)))
```

Scilab code Exa 7.6 Finding n

```
1
2 // $a-b=x*(c-n*d)$ 
3 clear;
4 clc;
5 close;
6 disp('n in terms of other quantities is ')
7 // $n*d=c-(a-b)/x$ 
8 n=string('{c-(a-b)/x}/d')
```

Scilab code Exa 7.7 Length of pendulum

```
1
2 //time of vibration of a simple pendulum is given by
3   the formula , $t=2*\pi*\sqrt(l/g)$ 
4 clear;
5 clc;
6 close;
7 // $t^2*g=4*\pi^2*l$ 
8 l=string('g*t^2/4*\pi^2')
```

Scilab code Exa 7.8 Solving the equation

```
1
2 //solve 5*x-a=2*x-b
3 clear;
4 clc;
5 close;
6 //collecting like terms to one side
7 x=poly(0, 'x');
8 p=5*x-2*x; //Also , p=a-b
9 x=string( '(a-b)/3')
```

Scilab code Exa 7.9 Solving x

```
1
2 //solve for x , a*(x-2)=5*x-(a+b)
3 clear;
4 clc;
5 close;
6 //removing brackets . "a*x-5*x=a-b"
7 x=string( '(a-b)/(a-5)')
```

Chapter 8

Simultaneous Equations

Scilab code Exa 8.1 Solving the eqautions

```
1
2 //2x+y=21, 3x+4y=44
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 y=21-2*x;           //equation 1
8 y=(44-3*x)/4;      //equation 2
9 for x=1:20
10 if (21-2*x==(44-3*x)/4)
11     mprintf(" the solution is :\n x=%i \n ",x)
12     break
13 end
14 end
15 //” substitute the x value in any one of the above
   equations”
16 y=21-2*x;mprintf(" y=%i \n",y)
```

Scilab code Exa 8.2 Finding x and y values from equation

```

1
2 //x+y=15,3x-y=21
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 y=15-x;           //equation 1
8 Y=3*x-21;        //equation 2
9 disp("the solution is ");
10 p2=y-Y;
11 x=roots(p2)
12 //substitute x value in equation 1
13 y=15-x

```

Scilab code Exa 8.3 Solving the equation

```

1
2 //2x+3y=42, 5x-y=20
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 y=(42-2*x)/3;    //equation 1
8 y=5*x-20;         //equation 2
9 for x=1:20
10   if ((42-2*x)/3==5*x-20)
11     mprintf("x=%i ",x)
12     break
13   end
14 end
15 //substitute the x value in any one of the above
16 equations
16 y=5*x-20;mprintf("y=%i",y)
17 printf("\n the solution is : \n");
18 [x y]

```

Scilab code Exa 8.4 Finding R1 and R2

```
1
2 // 0.5R1+1.2R2=1.486 ,4.5R1-2R2=4.67
3 clear;
4 clc;
5 close;
6 R2=poly(0, 'R2');
7 R1=(1.486-1.2*R2)/0.5;
8 R=(4.67+2*R2)/4.5;
9 P=R1-R;
10 printf("THE SOLUTION IS : \n");
11 R2=roots(P)
12 //SUBSTITUTE IN THE EQUATION
13 R1=(1.486-1.2*R2)/0.5
```

Scilab code Exa 8.5 numbers of simultaneous equations

```
1
2 //ex1
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 //sum of first no.( i.e., x) and 3 times the second
    no.( i.e., y) is 53 =>x+3*y=53
8 y=(53-x)/3;
9 //difference between 4 times the first and twice the
    2nd is 2 => 4x-2y=2
10 y=(4*x-2)/2;
11 printf("the solution is : \n");
```

```

12 for x=1:100
13   if ((53-x)/3==(4*x-2)/2)
14     mprintf("x=%i",x)
15     break
16   end
17 end
18 // substitute the x value in any one of the above
   equations"
19 y=(53-x)/3; mprintf("y=%i",y)

```

Scilab code Exa 8.6 Values of m and b

```

1
2 //y=mx+b
3 // given x=4,y=6 and x=2.4,y=4.5
4 clear;
5 clc;
6 close;
7 m=poly(0,'m');
8 b=6-4*m; //(equation 1) when x=4,y=6
9 B=4.5-2.4*m; //(equation 2) when x=2.4,y=4.5
10 P=b-B;
11 disp("the solution is :");
12 m=roots(P)
13 // substitute this value
14 b=6-4*m
15 // substitute these values in the equation y=mx+b"
16 x=poly(0,'x');
17 y=m*x+b

```

Scilab code Exa 8.7 total books sold and books sold at 25p

1

```

2 //ex3
3 clear;
4 clc;
5 close;
6 //let x=number originally sold at 25p
7 //let y=number originally sold at 20p
8 //amounts received for these were 25x pence and 20y
   pence & their total value was 1100 pence =>25x+20y
   =1100
9 x=poly(0, 'x');
10 y=(1100-25*x)/20;
11 //when the nos are reversed he receives 20x and 25
   y pence ans their total value is 1150 pence =>20x
   +25y=1150
12 y=(1150-20*x)/25;
13 for x=1:100
14 if ((1100-25*x)/20==(1150-20*x)/25)
15 break
16 end
17 end
18 //” substitute the x value in any one of the above
   equations”
19 y=(1100-25*x)/20;
20 mprintf(”the total no. of books sold was %i \n ”,x+y
   )
21 mprintf(”the number originally sold at 25p was %i”,x
   );

```

Chapter 9

Linear Inequalities

Scilab code Exa 9.1.a Inequality of n less than 3 on 0 to 10 number line

```
1
2 //n<3
3 clear;
4 clc;
5 close;
6 x=string(0:10);
7 n=string('<'+strcat(x,'---')+ '>'); //0 to 10 no
     . line
8
9 strsubst(n,'0---1---2---','-----')
10
11 disp('the SOLID LINE specifies region n<3')
```

Scilab code Exa 9.1.b Inequality of n greater than or equal to 6 on 0 to 10 number line

```
1
2 //n>=6
```

```

3  clear;
4  clc;
5  close;
6  x=string(0:10);
7      n=string('<' + strcat(x, '---') + '>'); //0 to 10
          no. line
8
9      n1=strsubst(n, '6---7---8---9---10', ,
                  -----');
10
11     mprintf("\n the number line \n \n %s represents
           n>=6 ", n1)

```

Scilab code Exa 9.1.c Inequality of n between 2 and 5 on 0 to 10 number line

```

1
2 //2<n<=5
3 clear;
4 clc;
5 close;
6 x=string(0:10);
7      n=string('<' + strcat(x, '---') + '>'); //0 to 10 no
          . line
8
9      n1=strsubst(n, '---3---4---5', ,
                  -----');
10
11     mprintf("\n the number line \n \n %s
           represents 2<n<=5 ", n1)

```

Scilab code Exa 9.2.a Number line representing inequality of n greater than 7

```

1
2 //what inequality is represented on no. line
3 clear;
4 clc;
5 close;
6 x=string(0:10);
7 n=string('<'+strcat(x,'---')+ '>'); //0 to 10 no.
     line
8
9 n1=string(strsubst(n,'---8---9---10','
-----'));
10
11 mprintf("\n the number line \n %s represents n>7 ", n1)

```

Scilab code Exa 9.2.b Number line representing n less than or equal to 3

```

1
2 //what inequality is represented on no. line
3 clear;
4 clc;
5 close;
6 x=string(0:10);
7 n=string('<'+strcat(x,'---')+ '>'); //0 to 10 no.
     . line
8
9 n1=string(strsubst(n,'0---1---2---3','
-----'));
10
11 mprintf("\n the number line \n %s represents n1<=3
", n1)

```

Scilab code Exa 9.2.c Representing inequality on number line

```

1
2 //what inequality is represented on no. line
3 clear;
4 clc;
5 close;
6 x=string(0:10);
7 n=string('<' + strcat(x, '---') + '>'); //0 to 10 no
     . line
8
9 n1=string(strsubst(n, '5---6---7---', ,
     -----));
10
11 mprintf("\n the number line \n \n %s represents
      5<=n1<8", n1)

```

Scilab code Exa 9.3 Solving the inequality

```

1
2 //3x-5<2x+8
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 p1=(3*x-5);
8 p2=(2*x+8);
9 //p1-p2<0
10 disp("<0", p1-p2)
11 mprintf("i.e., x<13 is the solution for those values
      of x which are < 13")

```

Scilab code Exa 9.4 Solving the greater than inequality

1

```
2 //3x+5>5x-9
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 p1=(3*x+5);
8 p2=(5*x-9);
9 //p1-p2>0
10 disp(" >0" , (p1-p2)/2)
11 mprintf(" i.e., x<7 is the solution for those values
           of x which are < 7")
```

Scilab code Exa 9.5 Solving the greater than or equal to inequality

```
1
2 // 2(3x+5)+1>=(4x-9)
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 p1=2*(3*x+5)+1;
8 p2=(4*x-9);
9 //p1-p2>=0
10 disp(" >=0" , (p1-p2)/2)
11 mprintf("\n i.e., x>=-10 is the solution for those
           values of x which are >= 10")
```

Scilab code Exa 9.6 Solving the less than inequality

```
1
2 //8/x<2
3 clear;
4 clc;
```

```

5 close;
6 // x is any no. greater than 4 and x can also be a
   negative no.
7 mprintf("8<2*x or x>4 is the solution if x is
   positive no.")
8
9 disp("if x were neagative ,then the inequality would
   become 8>2*x ")

```

Scilab code Exa 9.7 Satisfying both the inequalities

```

1
2 //find x which satisfies 3*x+2>8 & 5*x-3<27
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 for x=1:100
8   if (3*x+2>8)
9     mprintf("x>%i\n\nand", x) //solving the first we
       get
10    break
11  end
12 end
13 x=1;
14 while(5*x-3<27) //on solving the second we get
15   x=x+1;
16   continue
17 end
18 mprintf("x<%i \n", x);
19 x=string(0:10);
20 n=string('<' + strcat(x, '---') + '>'); //0 to 10 no. line
21 n1=strsubst(n, '---4---5---', '-----');
22 mprintf('the solid line in the number line \n %s
   represents 3<x<6 ', n1)

```

Scilab code Exa 9.8 Finding positive values in inequalities

```
1 // find x which satisfies 3*(x+5)>8*x & 5*(x-3)<27-x
2 clear;
3 clc;
4 close;
5 x=poly(0, 'x');
6 x=1;
7 while (3*(x+5)>8*x)
8     x=x+1;
9     continue
10    end
11 mprintf("\n x<%i\n\n", x)
12 while (5*(x-3)+x<27) //on solving the second we get
13     x=x+1;
14     continue
15 end
16 mprintf("x<%i \n", x)
17 x=string(0:10);
18 n=string('<' + strcat(x, '---') + '>'); // -2 to 8 no.
19 line
20 n1=strsubst(n, '0---1---2---', '-----');
21 mprintf('the SOLID LINE specifies final region 0<=x
<3 \n %s', n1)
```

Scilab code Exa 9.9 Value of x satisfying the given inequalities

```
1 //2<x<7 & 4<x<9
2 clear;
```

```

4 clc;
5 close;
6 x=string(0:10);
7 n=string('<'+strcat(x,'---')+>'); //0 to 10 no.
line
8 n1=strsubst(n,'---3---4---5---6---','
-----'); //2<x<7
9 n2=strsubst(n,'---5---6---7---8---','
-----'); //4<x<9
10 n3=strsubst(n,'---5---6---','-----');
11 mprintf('the inequality which satisfies both
inequalities\n2<x<7 \t% s\n\n4<x<9\t% s\n is\n4<x<7\
\t% s',n1,n2,n3)

```

Scilab code Exa 9.10 Values satisfying the inequalities

```

1
2 // -2<x<=3 & -1<x<=5
3 clear;
4 clc;
5 close;
6 x=string(-2:6);
7 n=string('<'+strcat(x,'~~~')+>'); //0 to 10
no. line
8
9 n1= strsubst(n,'~~~-1~~~0~~~1~~~2~~~3 ','
-----'); //-2<x<=3
10 n2= strsubst(n,'~~~0~~~1~~~2~~~3~~~4~~~5 ','
-----'); // -1<x<=5
11
12
13 n3= strsubst(n,'~~~0~~~1~~~2~~~3 ','
-----');
14
15

```

16 **mprintf**('the inequality which satisfies both
inequalities
 $2 < x \leq 3$ $n - 1 < x \leq 5$
 $n - 1 < x \leq 3$ ', n1, n2, n3)

Chapter 10

Graphical representation of Quantities

Scilab code Exa 10.1 Annual premiums charged at various ages

```
1
2 clear;
3 clc;
4 close ;
5 clf;
6 AGE=[25 30 35 40 45 50];
7 premium_in_=$=[2.33 2.59 2.91 3.31 3.81 4.53];
8 plot(AGE,premium_in_$,3);
9 xtitle("Annual Premiums charged by an insurance
company","AGE(in years)","premium_in$");
10 xgrid;
11 AGE=43; premium_in_=$=3.6; plot(AGE,premium_in_$,'r.
diam');
12 AGE=36; premium_in_=$=3; plot(AGE,premium_in_$,'r.diam'
);
13 plot(25,2.0,'o')
```

Scilab code Exa 10.2 Resistance for given length of wires

```
1
2 clear;
3 clc;
4 close;
5 clf;
6 length1=[100 120 170 220];
7 resistance=[2.5 3 4.25 5.5];
8 plot(length1,resistance , 'b--.diam')
9 xtitle(" Relation between Resistances and Length ","  
length_in_meters"," resistance_in_ohms");
10 xgrid;
11 length1=200;
12 resistance=5;
13 plot('length' , 'resistance' , 'b.diam')
14 plot(250,6.21 , 'b.diam') //this point is called  
extrapolation
```

Scilab code Exa 10.3 to show the relation between time and distance

```
1
2 clear;
3 clc;
4 close;
5 clf;
6 time=[0 1 2 3 4 5];
7 distance=[0 2 8 18 32 50];
8 plot(time,distance , "o-")
9 xtitle(" Relation between Time and Distance","time t  
in sec"," distance in meters");
10 xgrid;
11 //ex1: distance passed over in 3.6s
12 mprintf("EX1: \nfrom curve , it is 26m. the actual  
distance from formula is 25.92m")
```

```
13 //ex2 : time to travel 42m  
14 mprintf("EX2: \nline from 42m on distance axis that  
    touches the curve at 4.6 s . the mechanics formula  
    gives 4.58 s")
```

Chapter 11

The law of a straight line

Scilab code Exa 11.1 Connection between net profit and number of customers

```
1
2 clear;
3 clc;
4 close;
5 //x-no. of customers. b—the expenses
6 clf;
7 cust=[230 240 270 300 350 380];
8 profit=[0 0.5 2.0 3.5 6.0 7.5];
9 plot(cust,profit,6);
10 plot(230,0,'r->.diam');
11 // profit(y) depends on varying no. of customers(x).
12 xtitle("the straight line graph","no. of customers",
         "profit");
13 xgrid();
14 //ex(1)
15 mprintf("(1) From graph , if x=230, then y=0");
16 //ex(2)
17 mprintf("(2) if no. of customers is <230 then there
           will be a loss")
```

Scilab code Exa 11.2 The law represented by a straight line graph

```
1
2 clear;
3 clc;
4 close;
5 // let a—the avg. amount paid. x—no. of customers. b
   —the expenses
6 // net profit is y=ax-b
7 x=320;y=4.50;
8 x=250;y=1.00;
9 // substitute in above equation
10 // 4.5=320*a-b-equ.1;1=250*a-b-equ.2. subtract equ.2
    from 1.
11 a=0.05;//we get
12 b=250*a-1;
13 x=poly(0,'x');
14 y=a*x-b;//equation to straight line
15 //if there is no profit i.e., y=0
16 for x=1:500
17 if(0.05*x-11.5==0)
18 mprintf("x=%i \n",x)
19 break
20 end
21 end
22 clf;
23 cust=[230 240 270 300 350 380];
24 profit=[0 0.5 2.0 3.5 6.0 7.5];
25 plot(cust,profit,6);
26 plot(230,0,'r->.diam');
27 // profit(y) depends on varying no. of customers(x).
   the no.'s 0.05 & 11.5 remained constant
28 xtitle("the straight line graph","no. of customers",
         "profit");
```

```
29 legend("y=0.05*x-11.5");
30 xgrid();
```

Scilab code Exa 11.3 Graph of the given equation

```
1
2 //2*y-4*x=3
3
4 clear;
5 clc;
6 close;
7 x=poly(0, 'x');
8 x=[-2 -1 0 1 1.8 2];
9 y=(3+4*x)/2;
10 x_vs_y=[x; y];
11 plot(x, y, 3)
12 plot(0, 1.5, 'r.->') //when x=0. 1.5 is intercept on y-
    axis
13 plot(-0.75, 0, 'r.->') //when y=0. -0.75 is intercept
    on x-axis
14 xtitle("graph of equation 2y-4x-3", "x axis", "y axis")
15 xgrid;
```

Scilab code Exa 11.4 Graph of the equation

```
1
2 //2*x+y=1
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 x=[-2 -1 0 1 2 3];
```

```

8 y=1-2*x;
9 x_vs_y=[x;y];
10 plot(x,y,3)
11 plot(0,1,'r->') // intercept on y-axis
12 plot(0.5,0,'r->') // intercept on x-axis
13 xtitle("graph of the equation 2x+y=1","x axis","y
    axis");
14 xgrid;

```

Scilab code Exa 11.5 Graphs of straight lines not passing through origins

```

1
2 //y=mx+b
3 clear;
4 clc;
5 close;
6 clf;
7 x=linspace(0,3,4);
8 y=x;
9 plot2d(x,y,1);
10 y=x+2;
11 plot2d(x,y,4);
12 y=x-3;
13 plot2d(x,y,5);
14 xtitle("Equations of the form y=mx+b","x axis","y
    axis");
15 legend("y=x","y=x+2","y=x-3",2);
16 //m is constant, b is fixed distance. (x,y) vary for
    different points on the line
17 xgrid()
18 //ex(1)
19 mprintf("ex(1) In y=4x-7, gradient is 4. Intercept on
    y-axis is -7")
20 //ex(2)
21 mprintf("ex(2) In y=0.05x-11.5, gradient is 0.05 and

```

intercept on y-axis is -11.5")

Scilab code Exa 11.6 Graphical solution of simultaneous equations

```
1
2 //x+2*y=5, 3*x-2*y=7
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 //graph of x+2*y=5
8 x=[0 -1 2 5];
9 y=(5-x)/2;
10 x_vs_y=[x; y];
11 plot(x, y, 'b--.x')
12 //graph of 3*x-2*y=7
13 x=[0 -1 7/8 4];
14 y=(3*x-7)/2;
15 plot(x, y, 'b--.o')
16 for x=1:100
17   if ((5-x)/2==(3*x-7)/2)
18     break
19   end
20 end
21 mprintf("the solution of the equation is")
22 y=(5-x)/2;
23 mprintf("x=%i\ny=%i ", x, y)
24 plot(x, y, 'r.->')
25 xtitle("graph of simultaneous equations", "x axis", "y
axis");
26 xgrid;
27 legend("x+2*y=5", "3*x-2*y=7", 4);
```

Chapter 12

Using inequalities to define regions

Scilab code Exa 12.1 Graph the region described by inequalities

```
1 // Given : inequalities y>x and y<2*x-3
2 clc;
3 clear;
4 clf();
5 x=linspace(0,8,8);
6 y=2*x-3; // " points in the region y<2*x-3 lie below
           the line y=2*x-3"
7 plot(x,y,"o-");
8 y=x; // " points in the region y>x lie above the line y
       =x"
9 plot(x,y,"+-");
10 x=5; y=6; plot(x,y, 'r.diam') // point that lies in the
      region
11 xtitle("region described by inequalities","x axis",
         "y axis");
12 legend("2*x-3","x");
13 xgrid;
```

Scilab code Exa 12.2 Finding one point in the region described by inequalities

```
1 // Given : Inequalities y>x-2, y<2*x+1 and x+y<6
2 clc;
3 clear;
4 clf();
5 x=linspace(0,9,10);
6 y=x-2;
7 plot2d(x,y,3); // " points in the region y>x-2 lie
8           above the line y=x-2"
9 y=2*x+1;
10 plot2d(x,y,5); // " points in the region y<2*x+1 lie
11           below the line y=2*x+1"
12 y=6-x;
13 plot2d(x,y,2); // " points in the region x+y<6 lie
14           below the line x+y=6"
15 xtitle("region described by inequalities","x axis","y
16           axis");
17 legend("x-2","2*x+1","6-x",2);
18 xgrid;
19 // (3,2) is one point from the graph enclosed by
20           these inequalities
21 x=3;y=2;plot(x,y,'b.diam')
22 if((y>x-2)&(y<2*x+1)&(x+y<6)) // this condition does
23           not satisfies the point that lies out of the
24           region ex:(7,7)
25 mprintf('\n point that lies in the region is (%i,%i
26           ) \n',x,y)
27 end
```

Scilab code Exa 12.3 Greatest and least values in the region

```
1
2 //Given : Inequalities x+3*y<=24, 3*x+y<21.
3 clc;
4 clear;
5 clf();
6 x=linspace(0,9,10);
7 y=21-3*x;
8 plot2d(x,y,3); //” points in the region y<21-3*x lie
      below the line y=21-3*x”
9 y=(24-x)/3;
10 plot2d(x,y,5); //” points in the region y<=(24-x)/3
      lie below or on the line y=(24-x)/3”
11 xtitle(”greatest values in a region”, ”x axis”, ”y
      axis”);
12 xgrid;
13 printf(” \n from graph , (3,7) ,(4,6) ,(5,5) are points
      where x+y is largest \n”)
14 y=10-x; //3+7=10,4+6=10,5+5=10 so , all the points lie
      on the line x+y=10
15 x=3;y=7;plot(x,y,’b.diam’)
16 x=4;y=6;plot(x,y,’b.diam’)
17 x=5;y=5;plot(x,y,’b.diam’)
18 //” points on the line 3*x+y<21 are not included
      since we want 3*x+y<21 and not 3*x+y<=21”
19 legend(”3*x+y<21”, ”x+3*y<=24”, ”10-x”);
```

Scilab code Exa 12.4 Finding maximum profit with linear programming

```
1
2 // Given: For model A, material(m) cost(c)=4$, labour(l) 5$,
      profit(p) 5$. For model B, m=3$, l=9$, p=6$.
      Altogether 240$ for m and 450$ for l.
3 clc;
```

```

4 clear;
5 clf();
6 //let a is number of model A and b for model B to be
   made
7 //constraints on m & l as pair of inequalities 4a+3b
   <=240,5a+9b<=450.maximize the profit 5a+6b
8 a=linspace(1,100,10);
9 b=(240-4*a)/3;
10 plot2d(a,b,3);
11 b=(450-5*a)/9;
12 plot2d(a,b,5);
13 //find the point in this region where 5a+6b is
   greatest with the parallel lines concept
14 //consider the parallel lines 5a+6b=100 , 5a+6b=150
   , 5a+6b=300 ... the 2nd two are shown on graph \n
   ");
15 b=(150-6*a)/5;
16 plot(a,b,'b--.x');
17 b=(300-6*a)/5;
18 plot(a,b,'b--.o');
19 // as profit gets larger , profit line moves up to
   the right
20 a=39;b=28;
21 m=5*a+6*b;
22 mprintf('\n the maximum profit %i occurs at (%i,%i
   ) \n',m,a,b);
23 xtitle("Model A vs. Model B ", "Model A", "Model B");
24 xgrid;
25 legend("4a+3b<=240", "5a+9b<=450", "5a+6b=150", "5a+6b
   =300");

```

Scilab code Exa 12.5 Minimum cost of feed

```

1
2 // Given : vitamin A-8units ,B-6units , C- 3 units and

```

```

    the cost of making composite feed is 120*x+90*y (
    costs of each feed per kg. are 120p &90p)
3 clc;
4 clear;
5 clf();
6 v=[1 3 1;4 1 1]; //rows-feed 1,feed 2 and columns-
    vitamins A,B,C. vitamin content of each feed per
    kilogram
7 // A:x+4*y>=8; B:3*x+y>=6; C:x+y>=3. min_cost=120*
    x+90*y
8 x=linspace(0,10,10);
9 y=6-3*x; plot2d(x,y,3);
10 y=(8-x)/4; plot2d(x,y,6);
11 y=3-x; plot2d(x,y,5);
12 //the 2 cost lines for 360p and 720p are shown in
    the graph as dotted lines
13 // assume 2 parallel lines 120*x+90*y=360 , 120*x
    +90*y=720
14 y=(360-120*x)/90; plot(x,y,'b--.x');
15 y=(720-120*x)/90; plot(x,y,'b--.o');
16 //lines move down to left as cost decreases.min cost
    occurs at last line that contains atleast 1
    point in the required region
17 x=1;y=3;
18 min_cost=120*x+90*y;
19 fprintf("\n minimum cost %i occurs at (%i,%i)" ,
    min_cost,x,y);
20 xtitle("Feed1 vs. Feed 2","Feed 1","Feed 2");
21 legend("3*x+y>=6","x+4*y>=8","x+y>=3","120*x+90*y
    =360","120*x+90*y=720");
22 xgrid;

```

Chapter 13

Multiplication of algebraic expressions

Scilab code Exa 13.1 Product of binomial expressions

```
1
2 clc;
3 clear;
4 close;
5 x=poly(0, 'x');
6 p=(x+6)*(x+5)
7 a=poly(0, 'a');
8 p1=(a+9)*(a+4)
9 p2=(x+2)*(x-7)
10 p3=(a-8)*(a-3)
11 p4=(x-8)*(x-2)
12 p5=(x-8)*(x+2)
13 p6=(x+8)*(x-2)
```

Scilab code Exa 13.2 Multiplication of algebraic expressions

```
1
2 clear;
3 clc;
4 close;
5 x=poly(0, 'x');
6 p1=(2*x+5);
7 p2=(3*x+4);
8 ans=p1*p2
```

Scilab code Exa 13.3 Multiplication of algebraic expressions

```
1
2 clear;
3 clc;
4 close;
5 x=poly(0, 'x');
6 p1=(3*x+7);
7 p2=(2*x+1);
8 p3=p1*p2;
9 disp(p3, " product=")
```

Scilab code Exa 13.4 Multiplication of algebraic expressions

```
1
2 clear;
3 clc;
4 close;
5 x=poly(0, 'x');
6 p1=(7*x-5);
7 p2=(2*x+3);
8 p3=p1*p2;
9 disp(p3, " product=")
```

Scilab code Exa 13.5 Product of algebraic expressions

```
1
2 clear;
3 clc;
4 close;
5 x=poly(0, 'x');
6 p1=(3*x-2);
7 p2=(4*x-7);
8 p3=p1*p2;
9 disp(p3, " product=")
```

Scilab code Exa 13.6 Multiplication of a trinomial

```
1
2 clear;
3 clc;
4 close;
5 x=poly(0, 'x');
6 p1=(x+2);
7 p2=(x^2-x+1);
8 p3=p1*p2; //on collecting like terms
9 disp(p3, " product=")
```

Scilab code Exa 13.7 Product of a trinomial

```
1
2 // (a+b)*(a^2-ab+b^2)
3 clear;
```

```
4 clc;
5 close;
6 //on collecting like terms
7 val=string('a^3+b^3')
```

Scilab code Exa 13.8 Square of a binomial expression

```
1
2 clc;
3 close;
4 clear;
5 x=poly(0,'x');
6 p=(x+1)^2
7 p1=(x-1)^2
8 a=poly(0,'a');
9 p2=(a+9)^2
10 p3=string('(-5xy)^2=1-10xy+25x^2y^2')
11 p4=string('(2x+7y)^2=4x^2 +28xy +49y^2')
12 p5=string('(3a-10b)^2=9a^2-60ab+100b^2')
```

Scilab code Exa 13.9 Square of a trinomial

```
1
2 clc;
3 close;
4 clear;
5 p1=string('((a+b+1)^2=a^2+b^2+1+2ab+2a+2b')
6 p2=string('((x-y+z)^2=x^2+y^2+z^2-2xy+2xz-2yz')
7 p3=string('((a-b-c)^2=a^2+b^2+c^2-2ab-2ac+2bc')
8 p4=string('((x+y-5)^2=x^2+y^2+25-10x-10y+2xy')
```

Scilab code Exa 13.10 Cube of a binomial

```
1
2 clc;
3 close;
4 clear;
5 x=poly(0, 'x');
6 p=(x+1)^3
7 p1=(x-1)^3
8 a=poly(0, 'a');
9 p2=(a+1)^3
10 p3=(1-a)^3
11 p4=string( '(2x+3y)^3=8x^3+36x^2y+54xy^2+27y^3' )
12 p5=string( '(x-3y)^3=x^3-9x^2y+27xy^2-27y^3' )
```

Scilab code Exa 13.11 Product of sum and difference

```
1
2 clc;
3 close;
4 clear;
5 x=poly(0, 'x');
6 p=(x+9)*(x-9)
7 p1=string( '(ab+10)(ab-10)=a^2*b^2-100' )
8 p2=(4*x+5)*(4*x-5)
9 p3=(1+x)*(1-x)
10 a=poly(0, 'a');
11 p4=(a-1/2)*(a+1/2)
12 p5=string( '(a/3 + b/4)*(a/3 - b/4)=a^2/9 - b^2/16' )
13 p6=string( '{(a+b)+c} * {(a+b)-c} = (a+b)^2 - c^2' )
14 p7=string( '{a+(b+c)} * {a-(b+c)} = a^2 - (b+c)^2' )
```

Chapter 14

Factors

Scilab code Exa 14.1 factors of given expression

```
1
2 //factors of 6a^2 + 3ac
3 clear;
4 clc;
5 close;
6 p=string('6*a^2+3*a*c ')
7 disp('=> 3a(2a+c)')
```

Scilab code Exa 14.2 Factorize given expression

```
1
2 //5*x^2*y^2-10*x^2*y+20*y^2
3 clear;
4 clc;
5 close;
6 mprintf("\n the highest common factor to each term
           is 5 and other factor is y \n")
7 disp('5y(x^2y-2x^2+4y)')
```

Scilab code Exa 14.3 Finding factors

```
1 // factors of a^2+cd+ad+ac
2 clear;
3 clc;
4 close;
5 mprintf("\n (a^2+ac)+(ad+cd) => a(a+c)+d(a+d)\n")
6 mprintf("the factors are:")
7 val=string('(a+c)(a+d)')
```

Scilab code Exa 14.4 Factorize if possible

```
1 //factorize , if possible , ab+ac+bc+bd
2 clear;
3 clc;
4 close;
5 mprintf("\n there are no factors of this expression"
)
```

Scilab code Exa 14.5 Factors of expression

```
1 // factors of ab-5a-3b+15
2 clear;
3 clc;
4 close;
5 //by arrangement into suitable pairs ,
```

```
7 mprintf("(ab-5a)-(3b-15) => a(b-5)-3(b-5)")  
8 mprintf("\n the factors are: \n")  
9 val=string('((b-5)(a-3))')
```

Scilab code Exa 14.6 Factorize the given expression

```
1 //x^2+13*x+36  
2 clear;  
3 clc;  
4 close;  
5 x=poly(0, 'x');  
6 p=x^2+13*x+36;  
7 factors(p)
```

Scilab code Exa 14.7 Factorize the given expression in terms of x

```
1 //x^2-13*x+36  
2 clear;  
3 clc;  
4 close;  
5 x=poly(0, 'x');  
6 p=x^2-13*x+36;  
7 factors(p)
```

Scilab code Exa 14.8 Factorize the given expression in terms of y

```
1 //y^2-13*y+30  
2
```

```
3 clear;
4 clc;
5 close;
6 y=poly(0, 'y');
7 p=y^2-13*y+30;
8 factors(p)
```

Scilab code Exa 14.9 Factorize the expression

```
1 //x^2-5*x-36
2 clear;
3 clc;
4 close;
5 x=poly(0, 'x');
6 p=x^2-5*x-36;
7 factors(p)
```

Scilab code Exa 14.10 Factorize

```
1 //x^2+12*x-28
2 clear;
3 clc;
4 close;
5 x=poly(0, 'x');
6 p=x^2+12*x-28;
7 factors(p)
```

Scilab code Exa 14.11 Factorize

```
1
2 //a^2-8*a*b-48*b^2
3 clear;
4 clc;
5 close;
6 a=poly(0, 'a');
7 p=a^2-8*a-48;
8 factors(p)
9 mprintf( "the second letter b will appear in 1st
           term of each factor")
10 ans(1)=""(4b+a)";
11 ans(2)=""(-12b+a)"
```

Scilab code Exa 14.12 Factors of expression

```
1
2 //2*x^2+7*x+3
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 p=2*x^2+7*x+3;
8 factors(p);
9 ans(2)=ans(2)*2;
10 disp(ans(1),ans(2),"the factors of 2*x^2+7*x+3 are")
```

Scilab code Exa 14.13 Factorize of expression

```
1
2 //6*x^2+17*x-3
3 clear;
4 clc;
5 close;
```

```
6 x=poly(0, 'x');
7 p=6*x^2+17*x-3;
8 factors(p);
9 ans(2)=ans(2)*6; // multiply by 6 the p1 factors to
    get the original factors of p
10 disp(ans(1),ans(2),"the factors of 6*x^2+17*x-3 are"
    )
```

Scilab code Exa 14.14 Factorize the given expression

```
1
2 //4*x^2-17*x-15
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 p=4*x^2-17*x-15;
8 factors(p);
9 ans(2)=ans(2)*4;
10 disp(ans(1),ans(2),"the factors of 4*x^2-17*x-15 are
    ")
```

Scilab code Exa 14.15 Representing square of binomial expression

```
1
2 //x^2+6*x+9
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 p=x^2+6*x+9;
8 factors(p);
```

```
9 disp(ans(1),"x^2+6*x+9 is square of binomial  
expression ")
```

Scilab code Exa 14.16 Checking complete square or not

```
1 //4*x^2+6*x+9  
2 clear;  
3 clc;  
4 close;  
5 x=poly(0,'x');  
6 p=4*x^2+6*x+9  
7 mprintf("is not a complete square")  
8 //the 1st and 3rd terms are squares of 3 and 2x  
9 //for complete square the middle term must be +(2*  
10 //sqrt(4x^2)*sqrt(9))=+12x
```

Scilab code Exa 14.17 Checking complete square or not

```
1 // 4*x^2-20*x+25  
2 clear;  
3 clc;  
4 close;  
5 x=poly(0,'x');  
6 p=4*x^2-20*x+25  
7 factors(p);  
8 disp(ans(1)*2," is the complete square of binomial")  
9 //disp(" the 1st and 3rd terms are squares of 5 and 2  
10 //x")  
11 //disp(" for complete square the middle term must be  
// (2*sqrt(4*x^2)*sqrt(25)=20x")
```

Scilab code Exa 14.18 Factorize

```
1 // 100*x^2-1
2 clear;
3 clc;
4 close;
5 x=poly(0, 'x');
6 p=100*x^2-1;
7 factors(p);
8 ans(1)=10*ans(1);
9 ans(2)=10*ans(2);
10 disp(ans(1), ans(2), "the factors of 100*x^2-1 are")
```

Scilab code Exa 14.19 Factorize the expression

```
1 // 36*a^2*b^2-25
2 clear;
3 clc;
4 close;
5 //the numbers squared are 6ab and 5")
6 disp("36*a^2*b^2-25=(6ab+5)(6ab-5)")
```

Scilab code Exa 14.20 Factorize the given expression

```
1 // factorize (a+b)^2 - c^2
2 clear;
```

```
4 clc;
5 close;
6 // using the formula , a^2-b^2=(a+b)(a-b)
7 val=string( '( a+b+c ) ( a+b-c ) ')
```

Scilab code Exa 14.21 Factorize the expression

```
1
2 // factorize (a+b)^2 - (c-a)^2
3 clear;
4 clc;
5 close;
6 // using the formula , a^2-b^2=(a+b)(a-b)
7 val=string( '( b+c ) ( 2a+b-c ) ')
```

Scilab code Exa 14.22 Difference of two squares

```
1
2 clear;
3 clc;
4 close;
5 function[val]=formulae(a,b)
6 val=(a+b)*(a-b)
7 endfunction
8
9 val=formulae(47.5,22.5)
```

Scilab code Exa 14.23 Area of ring between two concentric circles

1

```
2 // area of ring between 2 concentric circles .
3 // given , r1=97mm, r2=83mm
4 clear;
5 clc;
6 close;
7 r1=97; r2=83;
8 //the area of ring is difference between the areas
    of 2 circles
9 diff_in_area=(r1^2-r2^2);
10 mprintf(" difference in area=%ipi mm^2" ,diff_in_area)
```

Chapter 15

Fractions

Scilab code Exa 15.1 Algebraic fraction

```
1
2 //simplify (a+b)/(a^2-b^2)
3 clear;
4 clc;
5 close;
6 //as , by formula ,( a^2-b^2)=(a+b)(a-b)
7 mprintf("\n (a+b)/((a+b)(a-b)) => 1/(a-b) \n")
```

Scilab code Exa 15.2 Simplifying the factors

```
1
2 clear;
3 clc;
4 close;
5 x=poly(0, 'x');
6 p1=x^2+4*x-12;
7 p2=x^2+x-6;
8 p=p1/p2
```

Scilab code Exa 15.3 Reduction of fractions

```
1 // simplify 3a(a^2-4ab+4b^2)/6a(a^2+3ab-10b^2)
2 clear;
3 clc;
4 close;
5 //the factors 3a(a-2b) are common to numerator &
denominator.
6 mprintf("\n the fraction is :\n")
7 string('(a-2b)/(2a(a+5b))')
```

Scilab code Exa 15.4 Division of fractions

```
1
2 clear;
3 clc;
4 close;
5 x=poly(0, 'x');
6 p1=x;
7 p2=x+1;
8 p=p1/p2;
9 q1=x^2;
10 q2=x^2-1;
11 q=q1/q2;
12 p/q
```

Scilab code Exa 15.5 Multiplication of fractions

```
1
2 clear;
3 clc;
4 close;
5 x=poly(0, 'x');
6 p1=x^4-27*x;
7 p2=x^2-9;
8 p=p1/p2;
9 q1=x^2+3*x+9;
10 q2=x+3;
11 q=q1/q2;
12 p/q
```

Scilab code Exa 15.6 Subtraction of fractions

```
1
2 // simplify a/(a-b) - a^2/(a^2-b^2)
3 clear;
4 clc;
5 close;
6 // as , (a^2-b^2)=(a+b)(a-b) , substitute it .
7 mprintf("\n the fraction is :\n")
8 ans=string('ab/((a+b)(a-b))')
```

Scilab code Exa 15.7 Fraction Subtraction

```
1
2 // 3/(a-b)-(2a+b)/(a^2-b^2)
3 clear;
4 clc;
5 close;
6 mprintf("\n on factorizing , the expression becomes \
n");
```

```
7 // 3/(a-b)-(2a+b)/( a+b)( a-b) => (3 a+3b-2a-b)/( a+b)( a-
    b)
8 string( '( a+2b)/(( a+b)( a-b)) ')
```

Scilab code Exa 15.8 Subtraction of fractions

```
1
2
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 p1=x-1;
8 p2=x^2-x-2;
9 p=p1/p2;
10 q1=x+2;
11 q2=x^2+4*x+3;
12 q=q1/q2;
13 t=p-q;
14 y=numer(t) // numerator of t
15 z=factors(denom(t))//factors of denominator of t (
    more simplified form)
16 disp(" val=(1+2x)/(1+x)(-2+x)(3+x)" )
```

Scilab code Exa 15.9 Division of fractions

```
1
2 //x/(x-(1/x))
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 p1=x;
```

```
8 p2=1/x;
9 p3=p1-p2;
10 p=p1/p3
```

Scilab code Exa 15.10 Conversion of R in terms of R1 and R2

```
1 // 1/R=1/R1-1/R2. get R
2 clear;
3 clc;
4 close;
5 disp("R=R1R2/(R2-R1)")
```

Scilab code Exa 15.11 solving simple equations involving algebraic fractions

```
1
2 clear;
3 clc;
4 close;
5 x=poly(0, 'x');
6 p1=3/(x-2);
7 p2=5/(x-1);
8 // given , 3/(x-2)=5/(x-1)
9 for x=0.0:0.1:10.0
10 if (3*(x-1)==5*(x-2))
11   format(7)
12 x
13   break
14 end
15 end
```

Scilab code Exa 15.12 Solving algebraic fraction for n

```
1
2 clear;
3 clc;
4 close;
5 n=poly(0, 'n');
6 p1=1/(n-2);
7 p2=1/(n-3);
8 p=p1+p2;
9 q=2/n;
10 // given p=q
11 z1=numer(p)*denom(q);
12 z2=numer(q)*denom(p);
13 // As, z1=z2. cancel the terms common on both sides
14 a=z1-z2;
15 n=roots(a)
```

Chapter 16

Graphs of Quadratic Functions

Scilab code Exa 16.1 Circumference of circle

```
1
2 //circumference of circle
3 clear;
4 clc;
5 close;
6 disp('C=2*pi*r')
7 //C-length of circumference.r—the length of radius
8 //2 (2,pi) of these 4 symbols represent constants .
9 disp("the variation of C depends on changes in r")
```

Scilab code Exa 16.2 Graph of given straight line

```
1
2 clear;
3 clc;
4 close;
5 // let a—the avg. amount paid. x—no. of customers. b
   —the expenses
```

```

6 // net profit is y=ax-b
7 x=320;y=4.50;
8 x=250;y=1.00;
9 // substitute in above equation
10 // 4.5=320*a-b-equ.1;1=250*a-b-equ.2. subtract equ.2
    from 1.
11 a=0.05;//we get
12 b=250*a-1;
13 x=poly(0,'x');
14 y=a*x-b;//equation to straight line
15 //if there is no profit i.e., y=0
16 for x=1:500
17 if(0.05*x-11.5==0)
18 mprintf("x=%i \n",x)
19 break
20 end
21 end
22 clf;
23 cust=[230 240 270 300 350 380];
24 profit=[0 0.5 2.0 3.5 6.0 7.5];
25 plot(cust,profit,6);
26 plot(230,0,'r->.diam');
27 // profit(y) depends on varying no. of customers(x).
    the no.'s 0.05 & 11.5 remained constant
28 xtitle("the straight line graph","no. of customers",
    "profit");
29 legend("y=0.05*x-11.5");
30 xgrid();

```

Scilab code Exa 16.3 Straight line equation

```

1
2 //y=mx+b
3 clear;
4 clc;

```

```

5  close;
6  clf;
7  x=linspace(0,3,4);
8  y=x;
9  plot2d(x,y,1);
10 y=x+2;
11 plot2d(x,y,4);
12 y=x-3;
13 plot2d(x,y,5);
14 xtitle("Equations of the form y=mx+b","x axis","y
axis");
15 legend("y=x","y=x+2","y=x-3",2);
16 disp('y=mx+b');
17 //m is constant, b is fixed distance. (x,y) vary for
    different points on the line
18 xgrid()

```

Scilab code Exa 16.4 Graph of a function of second degree

```

1
2 clear;
3 clc;
4 close;
5 clf;
6 x=linspace(-3,3,11);
7 y=x^2;
8 plot2d(x,y,3);
9 xtitle("Parabola curve","x axis","y axis")
10 legend("y=x^2");
11 xgrid();

```

Scilab code Exa 16.5 Graph of parabola

```
1
2 clear;
3 clc;
4 close;
5 clf;
6 x=linspace(-3,3,11);
7 y=-x^2;
8 plot2d(x,y,3);
9 xtitle("curve of y=-x^2","x axis","y axis");
10 disp("this curve is parabola");
11 legend("y=-x^2");
12 xgrid();
```

Scilab code Exa 16.6 Curves of different parabolas

```
1
2 //y=ax^2
3 clear;
4 clc;
5 close;
6 clf;
7 x=linspace(-3,3,11);
8 y=2*x^2;
9 plot2d(x,y,3);
10 y=x^2;
11 plot2d(x,y,4);
12 y=x^2/2;
13 plot2d(x,y,5);
14 legend("y=2*x^2","y=x^2","y=x^2/2");
15 xtitle("The curves of y=ax^2","x axis","y axis");
16 // if a is negative , we get corresponding curves
      similar to y=-x^2
17 xgrid();
```

Scilab code Exa 16.7 Curves of given expression

```
1
2 //y=x^2+a or y=x^2-a
3 clear;
4 clc;
5 close;
6 clf;
7 x=linspace(-3,3,11);
8 y=x^2+2;
9 plot2d(x,y,3);
10 y=x^2;
11 plot2d(x,y,4);
12 y=x^2-3;
13 plot2d(x,y,5);
14 legend("y=x^2+2","y=x^2","y=x^2-3");
15 xtitle("Curves of y=x^2 +/- a","x axis","y axis");
16 xgrid();
```

Scilab code Exa 16.8 Change of axis

```
1
2 //y=x^2+a or y=x^2-a
3 clear;
4 clc;
5 close;
6 clf;
7 x=linspace(-3,3,11);
8 y=x^2;
9 plot2d(x,y,3);
10 plot(y=1)
11 legend("y=x^2");
```

```
12 xtitle("Change of axis","x axis","y axis");
13 xgrid();
14 mprintf("axis for  $y=x^2$  becomes axis for  $y=x^2-3$  by
           drawing new x axis 3 units above the original")
```

Scilab code Exa 16.9 Graph of curves

```
1
2 clear;
3 clc;
4 close;
5 clf;
6 x=linspace(-3,4,8);
7 y=(x-1)^2;
8 plot2d(x,y,3);
9 xtitle("Curve of  $y=(x-1)^2$ ","x axis","y axis");
10 legend(" $y=(x-1)^2$ ");
11 xgrid();
```

Scilab code Exa 16.10 graph of given expression

```
1
2 // 129,130,131 examples
3 clear;
4 clc;
5 close;
6 clf;
7 x=linspace(-3,4,8);
8 y=(x-1)^2-4;
9 plot2d(x,y,5);
10 xtitle("Graph of  $y=(x-1)^2-4$ ","x axis","y axis");
11 legend(" $y=(x-1)^2-4$ ");
12 x=poly(0,'x');
```

```
13 y=(x-1)^2-4;
14 //131 concept
15 disp('At these points curve cuts the axis of x')
16 x=roots(y)
17 xgrid();
```

Scilab code Exa 16.11 Graph of Y

```
1
2 clear;
3 clc;
4 close;
5 clf;
6 x=linspace(-3,5,9);
7 y=2*x^2-3*x-5;
8 plot2d(x,y,5);
9 xtitle("Graph of y=2*x^2-3*x-5","x axis","y axis");
10 x=poly(0,'x');
11 y=2*x^2-3*x-5;
12 //at these points curve cuts the axis of x
13 x=roots(y)
14 x=3/4;
15 y=2*x^2-3*x-5; //highest point
16 y=[0 -2 -4 y];
17 plot(x,y,'b--.+');
18 legend("y=2*x^2-3*x-5","axis of symmetry");
19 disp("NOTE: line from lowest point to the x axis is
the axis of symmetry");
20 xgrid();
```

Scilab code Exa 16.12 Graph of parabola

```

2 clear;
3 clc;
4 close;
5 clf;
6 x=linspace(-5,4,10);
7 y=12-x-x^2;
8 plot2d(x,y,5);
9 xtitle("Graph of y=12-x-x^2","x axis","y axis");
10 x=poly(0,'x');
11 y=12-x-x^2;
12 // at these points curve cuts the axis of x
13 x=roots(y)
14 x=-1/2;
15 y=12-x-x^2; // highest point
16 y=[0 2 4 6 8 10 y];
17 plot(x,y,'b--pentagram');
18 legend("y=12-x-x^2","axis of symmetry");
19 // line from highest point to the x axis is the axis
    of symmetry
20 xgrid();

```

Scilab code Exa 16.13 Using graphs to solve quadratic inequalities

```

1
2 //y=x^2-4*x+3. values of x where y>0
3 clear;
4 clc;
5 close;
6 x=poly(0,'x');
7 y=x^2-4*x+3;
8 x=roots(y)
9 // for y>0, the values of x where y is above x axis
    are x<1 or x>3
10 x=linspace(-2,6,9);
11 y=x^2-4*x+3;

```

```
12 plot2d(x,y,3);
13 xtitle("Using graphs to solve quadratic inequalities
    ","x axis","y axis");
14 legend("y=x^2-4*x+3");
15 xgrid();
```

Scilab code Exa 16.14 Using quadratic inequalities to describe regions

```
1
2 //y=x^2-5*x+5
3 clear;
4 clc;
5 clf;
6 close;
7 x=linspace(-2,7,10);
8 y=x^2-5*x+5;
9 plot2d(x,y,3);
10 plot2d3(x,y,7);
11 x=poly(0,'x');
12 y=x^2-5*x+5;
13 x=roots(y)
14 for x=0:5
15   for y=5:20
16     plot(x,y,'r.pentagram'); //y>0 region
17   end
18 end
19 xtitle("Using quadratic inequalities to describe
    regions","x axis","y axis");
20 xgrid();
21 legend("y=x^2-5*x+5","y<x^2-5*x+5 region","y>x^2-5*x
    +5 region",4);
```

Chapter 17

Quadratic Equations

Scilab code Exa 17.1 Solving quadratic equation

```
1
2 //x^2-x-1=0
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 y=x^2-x-1; // y=0
8 mprintf("the solution is \n")
9 format(7)
10 x=roots(y)
```

Scilab code Exa 17.2 Solving quadratic equation

```
1
2 //3*x^2-5*x+1=0
3 clear;
4 clc;
5 close;
```

```
6 x=poly(0, 'x');
7 y=3*x^2-5*x+1; // y=0
8 mprintf("the solution is \n")
9 format(6)
10 x=roots(y)
```

Scilab code Exa 17.3 Solving equation

```
1
2 clear;
3 clc;
4 close;
5 x=poly(0, 'x');
6 p1=1/(x-1);
7 p2=1/(x+2);
8 y=p1-p2;
9 y1=1/16;
10 a=numer(y)*denom(y1);
11 b=numer(y1)*denom(y);
12 r=a-b;
13 mprintf("the solution is \n");
14 format(6)
15 x=roots(r)
```

Scilab code Exa 17.4 Solution of quadratic equation

```
1
2 //x^2-2*x-15=0
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 y=x^2-2*x-15; // y=0
```

```
8 mprintf("the solution is \n")
9   mprintf("x=%i, \t", roots(y))
```

Scilab code Exa 17.5 quadratic equation Solution

```
1
2 //9*x*(x+1)=4
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 y=9*x*(x+1)-4; //y=0
8   mprintf("the solution is \n")
9   mprintf("x=%f, \n", roots(y))
```

Scilab code Exa 17.6 quadratic equation Solution

```
1
2 //5*x^2+9*x-2=0
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 y=5*x^2+9*x-2;
8 a=5;b=9;c=-2; //from equation we get these values
9 // using the formula - solution of quadratic equation
10 ax^2+bx+c=0
11 x=(-b+sqrt(b^2-4*a*c))/(2*a);
12 mprintf("\t x=%f \n \n or ",x)
13 x=(-b-sqrt(b^2-4*a*c))/(2*a);
14 mprintf(" x=%f",x)
```

Scilab code Exa 17.7 Solving the equation

```
1
2 clear;
3 clc;
4 close;
5 x=poly(0, 'x');
6 p1=1/(x-1);
7 p2=2/3;
8 p3=2/(x-3);
9 p=(p1+p2-p3);
10 p=3*numer(p); //As p=0 and to remove fractions ,
    multiply by 3
11 a=2; b=-11; c=3; //from equation we get these values
12 //using the formula – solution of quadratic equation
  ax^2+bx+c=0
13 mprintf("the solution is")
14 format(6)
15 x=(-b+sqrt(b^2-4*a*c))/(2*a)
16 mprintf("or \n")
17 x=(-b-sqrt(b^2-4*a*c))/(2*a)
```

Scilab code Exa 17.8 Time taken when body is projected vertically upwards

```
1
2
3 // given u=160,g=10,h=240
4 clear
5 clc
6 close
7 // using the formulae "h=u*t-(g*t ^ 2)/2"
```

```

8 u=160;
9 g=10;
10 h=240;
11 t=poly(0, 't');
12 r=(240-u*t+(g*t^2)/2) //u*t-(g*t^2)/2-h=0
13 a=5; b=-160; c=240; //from equation we get these values
14 //using the formulae - solution of quadratic
   equation ax^2+bx+c=0
15 t=(-b+sqrt(b^2-4*a*c))/(2*a);
16 t1=(-b-sqrt(b^2-4*a*c))/(2*a);
17 mprintf("\n the solution is t=%f or t=%f\n", t, t1)
   //the answer given in textbook is wrong

```

Scilab code Exa 17.9 Speed and time for journey

```

1
2 clear;
3 clc;
4 close;
5 //let x km/hr is avg. speed for 1st journey
6 //as velocity=distance/time, time for 1st journey is
   84/x hrs
7 //speed for return journey is 84/(x+4). from given
   data, this is <1/2 hr than the 1st time
8 x=poly(0, 'x');
9 //In algebraic form , $(84/x) - (84/(x+4)) = 1/2$ 
10 y=(84/x)-(84/(x+4))-1/2; //y=0. so, numerator=0
11 x=roots(numer(y));
12 //velocity can't be in negatives. take +ve root
13 disp("avg. speed for 1st journey is x=24km/h")
14 distance=84; //given
15 velocity=24; //found
16 time=distance/velocity; //time for 1st journey
17 time1=distance/(velocity+4); //time for 2nd journey
18 mprintf("total_time=%fhours", time+time1)

```

Scilab code Exa 17.10 Solving first degree equations

```
1 //x+y=1, 38x^2-x*y+y^2=37
2
3 clear;
4 clc;
5 close;
6 x=poly(0, 'x');
7 y=1-x;
8 //substitute y=1-x in equ. 38x^2-x*y+y^2=37
9 Y=3*x^2-x*(1-x)+(1-x)^2-37;
10 x=roots(Y);
11 y=1-x;
12 mprintf('the solutions are: \n')
13 mprintf("( %f, %f ) \n", x, y)
```

Scilab code Exa 17.11 Solving symmetric equations

```
1
2
3 //x+y=19, xy=84
4 clear;
5 clc;
6 close;
7 x=poly(0, 'x');
8 //substitute y=19-x in xy=84
9 Y=x*(19-x)-84;
10 x=roots(Y);
11 y=19-x;
12 mprintf('the solutions are: \n')
13 mprintf("( x, y)=(%i, %i ) \n", x, y)
```

Scilab code Exa 17.12 Solving the equations

```
1 //x^2+y^2=89, xy=40
2 clear;
3 clc;
4 close;
5 x=poly(0, 'x');
6 // substitute y=40/x in x^2+y^2=89
7 Y=x^2+(40/x)^2-89;
8 x=roots(numer(Y)); //Y=0, numerator=0
9 y=sqrt(89-x^2);
10 mprintf('the solutions of (x,y) are: \n')
11 xy=[x,y]
```

Scilab code Exa 17.13 Solving quadratic inequalaities

```
1 //x^2-6*x+8<0
2 clear;
3 clc;
4 close;
5 x=poly(0, 'x');
6 y=x^2-6*x+8;
7 //the product is negative only if either one of the
     factors is negative
8 f=factors(y); //these factors are <0
9 //f(1)>0 and f(2)<0 \n \t or \t \n f(1)<0 and f(2)>0
10 x=string(-2:7); //by number line method,
11 n=string('<' + strcat(x, '~~~') + '>') // -2 to 7 no. line
12 n1='<;n2=';;
13 for x=-2:2
```

```

15      n1=n1+ '----' ;
16      end
17      for x=2:8
18      n2=n2+ '+++' ;
19      end
20      mprintf(n1+n2+ '>'+ ' + '(x-2) '+ '\n')
21 n1='<' ; n2=' ' ;
22      for y=-2:4
23      n1=n1+ '----' ;
24      end
25      for y=4:8
26      n2=n2+ '+++' ;
27      end
28      mprintf(n1+n2+ '>'+ ' + '(x-4) '+ '\n')
29
30 // from diagram , (x-2) is +ve when x>2 & -ve when x
31 // <2 by using + ans - signs . same in the case of (x
32 // -4)
33 mprintf("\n solution of x^2-6*x+8<0 is \n 2<x<4"
34 )

```

Scilab code Exa 17.14 Solving the inequality

```

1
2 // (2*x-1)(x+2)(3-x)>0
3 clear;
4 clc;
5 close;
6 x=string(-4:5); //by number line method
7 n=string('<'+strcat(x,'~~~')+ '>') // -2 to 7 no.
8 line
9 n1='<' ; n2=' ' ;
10 for x=-4:1
11     n1=n1+ '----' ;
12 end

```

```

12      for x=0.5:5
13          n2=n2+'++++';
14      end
15      mprintf(n1+n2+ '>'+ ' + '(2x-1) ')
16  n1='<;n2=' ;
17      for y=-4:-2
18          n1=n1+'-----';
19      end
20      for y=-2:5
21          n2=n2+'++++';
22      end
23      mprintf(n1+n2+ '>'+ ' + '(x+2) )
24  n1='<;n2=' ;
25      for y=-4:3
26          n1=n1+'++++';
27      end
28      for y=3:5
29          n2=n2+'-----';
30      end
31      mprintf(n1+n2+ '>'+ ' + '(3-x) '+ '\n')
32      mprintf("the solution is 0.5<x<3 \n or \n x
<-2")

```

Chapter 18

Indices

Scilab code Exa 18.1 Graph of exponential function

```
1
2 clear;
3 clc;
4 close;
5 clf;
6 x=[0 1 2 3 4];
7 y=2^x;
8 xtitle("Graph of 2^x","x-axis","y-axis");
9 plot(x,y,"o-");
10 legend("y=2^x");
11 xgrid();
```

Scilab code Exa 18.2 Operations with standard forms

```
1
2 clear;
3 clc;
4 close;
```

```
5 //EX(1):
6 function [val]=answer(u,v,x,y)
7     val=u*v*10^(x+y)
8 endfunction
9 val=answer(1.2,2.3,4,3)
10
11 //EX(2):
12 function[val1]=answer1(u,v,x,y)
13     val1=(u/v)*10^(x-y)
14 endfunction
15 val1=answer1(4.8,1.6,8,3)
```

Chapter 19

Logarithms

Scilab code Exa 19.1 Finding values from the graph

```
1
2 clear ;
3 clc;
4 close;
5 clf;
6 x=linspace(0,1,7);
7 y=10^x;
8 plot2d(x,y,2);
9 xtitle(" graph of y=10^x","x axis","y axis");
10 legend("y=10^x");
11 xgrid()
12
13 //ex1:1.8*2.6=? ,from graph
14 //1.8=10^0.26 \n 2.6=10^0.42
15 x=10^0.26;y=10^0.42;
16 format(4)
17 ex1_ans=x*y//from the graph
18
19 //ex2:9^(1/3)
20 //9=10^0.96
21 x=10^0.96;
```

```
22 format(4)
23 ex2_ans=x^(1/3) //third law of indices
```

Scilab code Exa 19.2 Notation for logarithms

```
1
2 clear;
3 clc;
4 close;
5 ans1=log10(56.2)
6 ans2=log2(1024)
7 ans3=log10(1000)
8 ans4=log10(81)/log10(3)
```

Scilab code Exa 19.3 Antilogarithm

```
1
2 //no. whose logarithm is 2.3714
3 clear;
4 clc;
5 close;
6 mantissa=0.3714;
7 disp("from anti-logarithm table , corresponding no. is
      2352")
8 // As, characteristic is 2,no. must lie between 100 &
      1000.\n \n hence 3 significant figures in the
      integral part
9 235.2
```

Scilab code Exa 19.4 Logarithm of x

```
1 // value of (57.86*4.385)
2 clear;
3 clc;
4 close;
5 // log(p*q)=log(p)+log(q)
6 p=57.86;q=4.385;
7 logx=log10(p)+log10(q);
8 format(6)
9 x=10^logx
```

Scilab code Exa 19.5 Finding the logarithm

```
1 // value of (5.672*18.94)/1.758
2 clear;
3 clc;
4 close;
5 // log(p*q)=log(p)+log(q) , log(p/q)=log(p)-log(q)
6 p=5.672;q=18.94;r=1.758;
7 logx=log10(p)+log10(q)-log10(r);
8 format(6)
9 x=10^logx
```

Scilab code Exa 19.6 Finding the Nth root

```
1 //5th root of 721.8
2 clear;
3 clc;
4 close;
5 // log(a)^n=n*log(a)
6 p=721.8;n=1/5;
```

```
8 logx=n*log10(p);
9 format(6)
10 x=10^logx
```

Scilab code Exa 19.7 Finding the logarithms of given numbers

```
1 // logs of 0.3185,0.03185,0.003185
2 clear;
3 clc;
4 close;
5 x=0.3185;y=0.03185;z=0.003185;
6 logx=log10(0.3185)
7 logy=log10(0.03185)
8 logz=log10(0.003185)
```

Scilab code Exa 19.8 Finding the number whose log value is given

```
1 //no. with logarithm -3.5416
2 clear;
3 clc;
4 close;
5 mantissa=0.5416;
6 disp("from anti-logarithm table, corresponding no. is
      3840 ")
7 //characteristic is -3.\n \n hence there will be 2
      zeros after the decimal point
8 val=0.003480
```

Scilab code Exa 19.9 Sum of logarithms

```
1
2 //sum of logarithms -1.6173,-2.3415,-1.6493,-0.7374
3 clear;
4 clc;
5 close;
6 x=.6173;y=.3415;z=.6493;a=0.7374; //mantissa's of all
    4 logarithms
7 mantissa=x+y+z+a;
8 //2 which is carried forward from the addition of
    mantissa is +ve.
9 characteristic=-1-2-1-0+2; //characteristic part of
    all 4 logarithms
10 mprintf("sum=%f",mantissa)
```

Scilab code Exa 19.10 Difference of logarithms

```
1
2 //logarithm : -1.6175-(-3.8463)
3 clear;
4 clc;
5 close;
6 mantissa=1.6175-0.8463;
7 //in borrowing to subtract 8 from 6, -1(
        characteristic) becomes -2
8 characteristic=-2-(-3);
9 mantissa+characteristic
```

Scilab code Exa 19.11 Multiplication of logarithm

```
1
2 //logarithm : multiply -2.8763 by 3
```

```
3 clear;
4 clc;
5 close;
6 num=2.8763; //given
7 mantissa=0.8763;
8 mul=mantissa*3;
9 //when mantissa is multiplied , 2 is carried forward .
   (-2)*3=-6. the characteristic becomes -6+2=-4
10 val=-4.6289
```

Scilab code Exa 19.12 Multiplication of logarithm

```
1
2 //logarithm: -1.8738*1.3
3 clear;
4 clc;
5 close;
6 //multiply mantissa & characteristic separately and
   add results
7 x=0.8738*1.3;
8 y=-1*1.3;
9 //as y=-1.3 is -ve , change it to -2.7 to make
   mantissa +ve
10 y=-2.7;
11 mantissa_sum=0.13594+0.7; //of x & y
12 characteristic_sum=1-2;
13 characteristic_sum-mantissa_sum
```

Scilab code Exa 19.13 Division of logarithm

```
1
2 //divide -5.3716 by 3
3 clear;
```

```
4 clc;
5 close;
6 // characteristic=-5=-6+1 or the log as -6+1.3716
7 characteristic=-6/3;
8 mantissa=1.3716/3;
9 characteristic-mantissa
```

Scilab code Exa 19.14 Finding the logarithm

```
1
2 //log50 to the base e
3 clear;
4 clc;
5 close;
6 log(50) //natural logarithm
7 // or , log50_base_e=log10(50)*2.3026
```

Chapter 21

Variation

Scilab code Exa 21.1 Graph of spring extension for different weights

```
1
2 //spiral spring example
3 clc;
4 clear;
5 close;
6 clf();
7 weight=linspace(0,0.5,6);
8 extension=[0 0.15 0.3 0.44 0.6 0.75];
9 plot2d(weight,extension,13);
10 xtitle("spiral spring example","values of L","values
11 of E");
12 //Extension varies directly as the attached load
13 //let E=Extension,L=Load
14 //to find 'k', a pair of values is taken at point p
15 L=0.5;E=0.75;
16 plot(L,E,'r..');
17 legend("E=KL",'POINT P',2);
18 //substitute 'p' in E=K*L
19 K=E/L;
20 mprintf("the law is : \n E= %fL \n",K)
```

Scilab code Exa 21.2 Comparison of voltmeters

```
1
2 // voltmeters example
3 clc;
4 clear;
5 close;
6 clf();
7 C=[1.9 2.75 3.8 4.8 5.8];
8 K=[5.75 8.3 11.2 14 16.8];
9 //C and K are connected by the law of the form K=mC+
   b
10 plot2d4(C,K,3);
11 plot(3.4,10,'r.pentagram');
12 plot(5.3,15.5,'r.pentagram');
13 xtitle("voltmeters graph","C","K");
14 xgrid();
15 legend("K=mC+b","POINTS A,B",2);
16 //substituting A,B points in K=mC+b,we get
17 //10=3.4m+b ----->equ(1) ; 15.5=5.3m+b ----->equ
   (2)
18 //subtracting
19 m=(10-15.5)/(3.4-5.3);
20 b=10-(3.4*m);
21 mprintf("the law is : \n K=%fC+%f",m,b)
```

Scilab code Exa 21.3 Inverse variation

```
1
2 //y varies as cube root of x
3 clear;
```

```
4 clc;
5 close;
6 //y=k*x^(1/3)
7 y=3;x=64; //given
8 k=y/(x^(1/3));
9 fprintf("(1) y=0.75*x^(1/3)");
10 //when y=15/4,x=?
11 x=(15/4)^3/(0.75)^3;
12 fprintf("(2) x=%i",x)
```

Scilab code Exa 21.4 Time of vibration of simple pendulum

```
1
2 //time of vibration of pendulum varies as sqrt(
   length)
3 clear;
4 clc;
5 close;
6 //let l=length of pendulum in meters , t=the time of
   variation
7 //t=k*sqrt(l) => vibration of pendulum varies as
   sqrt(length)
8 l=1;t=1; //given
9 k=t/(sqrt(1));
10 l=1.06; //given
11 format(5);
12 time_in_sec=k*sqrt(l)
```

Scilab code Exa 21.5 Triangle area

```
1
2 //A=b*h/2
3 clear;
```

```
4 clc;
5 close;
6 //A= the area of triangle.b=the length of base.h=the
    corresponding altitude
7 // A depends on both b &h
8 fprintf("\n A=k*b*h \n ")
9 k=1/2
```

Scilab code Exa 21.6 Volume varies inversely with pressure

```
1
2 //volume of mass os gas at const. temp. varies
    inversly as pressure on it
3 clear
4 clc
5 close
6 //v=volume
7 //T=absolute temperature
8 //P=pressure
9 fprintf("\n v=k*T/P \n")
```

Scilab code Exa 21.7 Relation between R and l

```
1
2 // resistance of a current wire varies as length
    varies also, varies inversly as the cross section
    of wire
3 clear
4 clc
5 close
6 //R=the resistance
7 //l=the length
8 //the cross section
```

```
9 mprintf("\n R=k*l/A \n ")
```

Scilab code Exa 21.8 Joint variation

```
1
2 clear;
3 clc;
4 close;
5 // y varies directly as x and inversely as z^3
6 mprintf("\n y=k*x/z^3 \n")
7 x=15;z=12;y=1/36; //given
8 //substituting given values
9 format(5)
10 k=y*z^3/x
```

Scilab code Exa 21.9 F varies directly with strength and inversely with distance

```
1
2 clear;
3 clc;
4 close;
5 // force of 2 magnetic poles varies as product of
   their strength & inversely as square of distance
   between them
6 //F=the force. m1,m2=the pole strengths. d=the
   distance apart
7 mprintf("\n F=k*m1*m2/d^2 \n")
8 F=3;m1=8;m2=6;d=4; //given
9 k=F*d^2/(m1*m2);
10 m1=5;m2=9;d=2;
11 Force_in_newtons=k*m1*m2/d^2
```

Chapter 22

The determination of Laws

Scilab code Exa 22.1 Plotting against power of a number

```
1
2 //y=a*x^2+b
3 clear;
4 clc;
5 close;
6 clf;
7 x=[0 0.5 1 1.5 2 2.5];
8 y=[-10 -9.25 -7 -3.25 2 8.75];
9 plot2d(x^2,y,3);
10 xtitle("Graph of y=ax^2+b","x axis","y axis");
11 xgrid;
12 //the values of a & b can be found by substituting
   two suitable points(x,y)in a*x^2+b-y=0
13 x=1;y=-7;//p1=-a+b+7
14 x=4;y=2;//p2=4*a+b-2
15 a=poly(0,'a');
16 p=-a+7-(4*a-2);
17 a=roots(p);
18 x=1;y=-7;
19 b=y-a*x^2;
20 x=poly(0,'x');
```

```

21 // (or) by inspection of graph , intercept on y-axis
    is (i.e., b) is -10 and a, the gradient of the
    line , is 3
22 mprintf("\n Hence , the law is\n")
23 x=poly(0 , 'x');
24 y=3*x^2-10
25 mprintf("or by solving by the method of Section 185"
    )
26 y=a*x^2+b

```

Scilab code Exa 22.2 Law connecting the logarithms

```

1
2 //y=a*x^n
3 clear;
4 clc;
5 close;
6 clf;
7 x=[18 20 22 24 25];
8 y=[623 863 1160 1519 1724];
9 //taking log on both sides for y=a*x^n =>log(y)=n*
    log(x)+log(a) .... equ(1)
10 logx=log10(x);
11 logy=log10(y);
12 plot2d(logx,logy,13);
13 //select points A & B on straight line .
14 plot(1.398,3.236,'r.diam');
15 plot(1.255,2.795,'r.diam');
16 n=poly(0 , 'n');
17 //3.236=1.398*n+log(a). substitute point A in equ
    ... (1) ,GIVES equ(3)
18 //2.795=1.255*n+log(a). substitute point B in equ
    ... (1) ,GIVES equ(4)
19 //equ(3)-equ(4)
20 p=(3.236-1.398*n)-(2.795-1.255*n);

```

```
21 n=roots(p);
22 mprintf("y=a*x^n")
23 format(5)
24 a=10^(2.795-1.255*n)
25 xtitle("graph of y=a*x^n ","log x ","log y ");
26 legend("y=a*x^n","points A,B",2);
27 xgrid;
28 mprintf("\n y=0.08*x^3.08\n");//substituting a,n
   values in y=a*x^n
```

Chapter 23

Rational and Irrational Numbers

Scilab code Exa 23.1 Operation with surds

```
1 // ex(1) (sqrt(5)+sqrt(20))
2 clear;
3 clc;
4 close;
5 val=string('sqrt(5)+sqrt(20)');
6 if(sqrt(5)+sqrt(20)==3*sqrt(5))
7     val_1=evstr(val)
8 end
9 //ex(2) sqrt(27)-sqrt(75)+sqrt(48)
10 val=string('sqrt(27)-sqrt(75)+sqrt(48)');
11 val_2=evstr(val)
```

Scilab code Exa 23.2 Rationalise

1

```

2 // 1/(sqrt(5)-sqrt(2))
3 clear;
4 clc;
5 close;
6 // rationalising the denominator
7 function[denom1]=inputs(a,b)
8     denom1=(sqrt(a)+sqrt(b))*(sqrt(a)-sqrt(b))
9 endfunction
10 [denom1]=inputs(5,2);
11 denom1=string(denom1);
12 numer1=string(' (sqrt(5)+sqrt(2)) ');
13 val=string(numer1+' / '+denom1)
14 mprintf(" i.e., ")
15 val=evstr(val)

```

Scilab code Exa 23.3 Simplify surds

```

1
2 // (sqrt(5)-1)/(sqrt(5)+1)
3 clear;
4 close;
5 clc;
6 // rationalising the denominator
7 function[denom1]=inputs(a,b)
8     denom1=(sqrt(a)+sqrt(b))*(sqrt(a)-sqrt(b));
9 endfunction
10 [denom1]=inputs(5,1);
11 denom1=string(denom1);
12 numer1=string(' (6-2*sqrt(5)) ');
13 val=string(numer1+' / '+denom1)
14 mprintf(" i.e., ")
15 val=evstr(val)

```

Chapter 24

Arithmetical and Geometrical Series

Scilab code Exa 24.1 Arithmetic series

```
1
2 clc;
3 clear;
4 close;
5 //ex(1) 7,13,19,25....
6 common_diff=19-13
7 //ex(2) 6,4,2,0,-2
8 common_diff=2-4
```

Scilab code Exa 24.2 Nth term in arithmetic series

```
1
2 clc;
3 clear;
4 close;
5 //ex(1) in the series 7,10,13,... the common
   difference is 3. 10th trerm is ?
```

```

6 nth_term=string('7+(n-1)*3')
7 term10=7+(10-1)*3
8 //ex(2) i the series 6,2,-2,-6,... and d=-4
9 nth_term=string('6-(n-1)*4')
10 term8=6+(8-1)*-4

```

Scilab code Exa 24.3 Arithmetic mean

```

1
2 //insert 3 A.M's between 4 and 20
3 clc;
4 clear;
5 close;
6 //let 4,a,b,c,20 are in A.P. using , l=a+(n-1)*d
7 d=(20-4)/(5-1);
8 a=4+d;
9 b=a+d;
10 c=b+d;
11 mprintf("the five terms are 4,%i,%i,%i,20",a,b,c)

```

Scilab code Exa 24.4 Finding common difference in AP

```

1
2 //sum of A.P of 8 terms is 90.1st term is 6.
3 clear;
4 clc;
5 close;
6 // using s=n*{2*a+(n-1)*d}/2
7 //substituting given values
8 for d=0:0.001:100
9 if (90==8/2*{2*6 + (8-1)*d})
10 format(5)
11 d

```

```
12      break
13  end
14 end
```

Scilab code Exa 24.5 Finding n value in arithmetic sum

```
1
2 clear;
3 clc;
4 close;
5 // using s=n*{2*a+(n-1)*d}/2
6 a=3; d=3; s=135;
7 //substituting given values
8 n=poly(0, 'n');
9 p=n/2*{6 + (n-1)*3}-135;
10 n=roots(p)
11 mprintf("\n As root -10 is inadmissible , the
           solution is n=9")
```

Scilab code Exa 24.6 Geometric series

```
1
2 clc;
3 clear;
4 close;
5 //ex(1).1,2,4,8,....
6 common_ratio=4/2
7 //ex(2). 1,1/2,1/4,1/8,....
8 common_ratio=(1/4)/(1/2)
9 //ex(3). 2,-6,18,-54
10 common_ratio=-6/2
11 //ex(4). R,R^2,R^3,R^4....
12 R=poly(0, 'R');
```

```
13 common_ratio=R^2/R
```

Scilab code Exa 24.7 Seventh term of given series

```
1
2 //7th term of the series 3 ,6 ,12 ,....
3 clear;
4 clc;
5 close;
6 //in the series r=2, so using the formula
7 // nth term=a*r^(n-1)
8 a=3;n=7;//given data
9 term7=3*(2)^(7-1);
10 mprintf("\n the seventh term of the series is %i",term7)
```

Scilab code Exa 24.8 Eighth term of given series

```
1
2 //8th term of the series 2 ,-6 ,18 ,-54 ,.....
3 clear;
4 clc;
5 close;
6 //in the series r=-3, so using the formula
7 // nth term=a*r^(n-1)
8 a=2;n=8;//given data
9 term8=2*(-3)^(8-1);
10 mprintf("\n the eighth term of the series is %i",term8)
```

Scilab code Exa 24.9 Finding the 5th term

```
1
2 //5th term of the series.1st term is 100 and common
   ratio(r) is 0.63
3 clear;
4 clc;
5 close;
6 // using the formula
7 //nth term=a*r^(n-1)
8 a=100;n=0.63;//given data
9 mprintf("\n the fifth term of the series is \n")
10 format(6)
11 term5=100*0.63^(5-1)
```

Scilab code Exa 24.10 Finding the common ratio

```
1
2 //3rd term of G.P is 4.5 and 9th is 16.2
3 clear;
4 clc;
5 close;
6 // nth term=a*r^(n-1)
7 term3=4.5;//given data
8 //'a*r^(3-1)=4.5 ----equ(1)'
9 term9=16.2;//given
10 //'a*r^(9-1)=16.2 ----equ(2)'
11 mprintf("\n the common ratio is :\n");
12 format(7)
13 r=(16.2/4.5)^(1/6)//equ(2)/equ(1)
```

Scilab code Exa 24.11 Sum of seven terms of the series

```
1
2 //sum of 7 terms of the series 2 ,3 ,4 ,5 ,....
3 clear;
4 clc;
5 close;
6 r=3/2;a=2;n=7; //given
7 //using the formula
8 S=string('a*(r^(n)-1)/(r-1)')
9 disp("substituting the given values ")
10 format(6)
11 Sum=evstr(S)
```

Scilab code Exa 24.12 Sum of 7 terms

```
1
2 //sum of 7 terms of the series 4 ,-8 ,16 ,....
3 clear;
4 clc;
5 close;
6 r=-8/4;a=4;n=7; //given
7 //using the formula
8 S=string('a*(r^(n)-1)/(r-1)');
9 //substituting the values
10 Sum=evstr(S)
```

Scilab code Exa 24.13 Sum of infinite terms

```
1
2 //sum to infinity series 2 + 1/2 + 1/8 + .....
3 clear;
4 clc;
5 close;
6 a=2;r=1/4; //given
```

```
7 // using the formula
8 S_infinity=string('a/(1-r)');
9 Sum=evstr(S_infinity)
```

Scilab code Exa 24.14 Sum to infinity of the series

```
1
2 //sum to infinity series 5 - 1 + 1/5 - .....
3 clear;
4 clc;
5 close;
6 a=5;r=-1/5; //given
7 // using the formula
8 S_infinity=string('a/(1-r)');
9 Sum=evstr(S_infinity)
```
