

Scilab Textbook Companion for
Digital Communications
by S. Sharma¹

Created by
Guttula Eswararao
B.Tech
Electronics Engineering
RGUKT,NUZVID
College Teacher
Muni Rama Krishna
Cross-Checked by
Lavitha Pereira

September 23, 2013

¹Funded by a grant from the National Mission on Education through ICT, <http://spoken-tutorial.org/NMEICT-Intro>. This Textbook Companion and Scilab codes written in it can be downloaded from the "Textbook Companion Project" section at the website <http://scilab.in>

Book Description

Title: Digital Communications

Author: S. Sharma

Publisher: S. K. Kataria & Sons, New Delhi

Edition: 6

Year: 2011

ISBN: 978-8188458196

Scilab numbering policy used in this document and the relation to the above book.

Exa Example (Solved example)

Eqn Equation (Particular equation of the above book)

AP Appendix to Example(Scilab Code that is an Appednix to a particular Example of the above book)

For example, Exa 3.51 means solved example 3.51 of this book. Sec 2.3 means a scilab code whose theory is explained in Section 2.3 of the book.

Contents

List of Scilab Codes	4
2 PROBABILITY RANDOM SIGNALS AND RANDOM PROCESS	8
3 SAMPLING THEORY AND PULSE MODULATION	23
4 WAVEFORM CODING TECHNIQUES	28
5 DIGITAL MULTIPLEXERS	52
6 DIGITAL BASEBAND TRANSMISSION	55
8 DIGITAL MODULATION TECHNIQUES	57
9 INFORMATION THEORY	63
10 ERROR CONTROL CODING	83

List of Scilab Codes

Exa 2.1.a	Probability	8
Exa 2.1.b	Probability	9
Exa 2.1.c	Probability	9
Exa 2.2	Probability	10
Exa 2.3	Probability	10
Exa 2.4	Probability	11
Exa 2.5	Probability	12
Exa 2.6	Probability	13
Exa 2.7	Probability	13
Exa 2.8	Probability	14
Exa 2.9	Probability	15
Exa 2.12	Probability density function	15
Exa 2.13	Probability	17
Exa 2.14	Probability	17
Exa 2.20	Joint probability	18
Exa 2.23	probability density function	18
Exa 2.24	mean mean Square Standard deviation	20
Exa 2.31	Mean and Variance	21
Exa 3.1	Nquist Rate	23
Exa 3.2	Nquist Rate and time interval	24
Exa 3.3	Nquist Rate	24
Exa 3.4	Nquist Rate	25
Exa 3.7	Amplitude	26
Exa 3.8	Transmission Bandwidth	26
Exa 4.2.i	code word length	28
Exa 4.2.ii	Transmission Bandwidth	29
Exa 4.2.iii	Final Bit rate	29
Exa 4.2.iv	Output signal to noise ratio	30

Exa 4.3.i	bits per sample	30
Exa 4.3.ii	Transmission Bandwith	31
Exa 4.4	samplingrate bandwidth and bitrate	31
Exa 4.5	Bandwidth and Sampling Rate	32
Exa 4.6	Signal Bandwidth and Noise Ratio	33
Exa 4.7	Bitspersample and Transmissionrate	34
Exa 4.8	signal to noise ratio	34
Exa 4.10	noise ratio and required bits	35
Exa 4.11	Maximum frequency	36
Exa 4.13	Maximum Amplitude	36
Exa 4.14	Signaling rate	37
Exa 4.15	Signal to noise ratio	38
Exa 4.16	Signal to Quatization noise ratio	38
Exa 4.17	sampling rate and quantizing level	39
Exa 4.18	time duration of binary signal	39
Exa 4.20	Quantizing noise ratio	40
Exa 4.21.i	Quantizing levels and bits per sample	41
Exa 4.21.ii	Bandwidth	42
Exa 4.21.iii	Quantizing levels bits per sample and Bandwidth	42
Exa 4.24	Maximum Amplitude and SNR	43
Exa 4.26	Bits per sample	44
Exa 4.27.i	Normalized power	44
Exa 4.27.ii	Bit transmission rate	45
Exa 4.27.iii	SNR	45
Exa 4.28	SNR bitrate and no of bits recorded	46
Exa 4.29	output SNR	47
Exa 4.30.i	step size	47
Exa 4.30.ii	Noise power	48
Exa 4.30.iii	Signal to Noise Ratio	48
Exa 4.31	number of bits per sec	49
Exa 4.32	step size noise power and SNR	49
Exa 4.33	signaling rate and bandwidth	50
Exa 4.34	Step size and Noise power	51
Exa 5.1	Sampling Rate	52
Exa 5.2	Nyquist rate Signaling rate and bandwidth	52
Exa 5.3	spacing distance	53
Exa 5.4	signaling rate and bandwidth	54
Exa 6.25	roll of factor	55

Exa 6.26	Transmission bandwidth	55
Exa 8.1	probability of error	57
Exa 8.2	peak Amplitude	58
Exa 8.4	probability of error	58
Exa 8.5	probability bit error	59
Exa 8.7	Amplitude	60
Exa 8.8	Carrier power and Bandwidth	60
Exa 8.10	probability of error	61
Exa 8.11	probability of symbol error	62
Exa 9.1	Information Content	63
Exa 9.2	Information	64
Exa 9.3	Amount of Information	64
Exa 9.4	Amount of Information	65
Exa 9.9	Entropy	65
Exa 9.12	rate of information	66
Exa 9.13	information rate	67
Exa 9.14	Information rate	67
Exa 9.15	Information rate	68
Exa 9.16	Entropy and information rate	69
Exa 9.17	Entropy and information rate	70
Exa 9.18	Entropy and information rate	70
Exa 9.19	Channel Matrix and joint probability	71
Exa 9.21	probabilities channel matrix	72
Exa 9.35	Capacity of Channel	73
Exa 9.36.i	information rate	73
Exa 9.36.ii	Channel Capacity	74
Exa 9.36.iii	SNR	75
Exa 9.36.iv	Bandwidth	75
Exa 9.37	efficiency and redundancy	76
Exa 9.38	Efficiency and redundancy	76
Exa 9.44	Efficiency	77
Exa 9.50	Entropy and information rate	78
Exa 9.51	Entropy	79
Exa 9.52	Entropy	80
Exa 9.54	Entropy	81
Exa 9.56	Information capacity	81
Exa 10.4	errors and corrected errors	83
Exa 10.17	code vectors	84

Exa 10.19 code word 84

Chapter 2

PROBABILITY RANDOM SIGNALS AND RANDOM PROCESS

Scilab code Exa 2.1.a Probability

```
1 //Caption: Probability
2 //Example 2.1.a
3 //page no 43
4 //Find the Probability
5 clc;
6 clear;
7 redballs=3;
8 whiteballs=4;
9 blackballs=5;
10 //P=ways of choosing a red ball/Total no. of ways
    choosing a ball
11 Pro=redballs/(redballs+whiteballs+blackballs);
12 disp("Probability Getting red ball is");
13 disp(Pro,"P(R)=");
```

Scilab code Exa 2.1.b Probability

```
1
2 //Caption: Probability
3 //Example 2_1b
4 //page no 43
5 //Find the probability Getting black ball
6 clc;
7 clear;
8 redballs=3;
9 whiteballs=4;
10 blackballs=5;
11 //Probability Getting black ball
12 prob=blackballs/(redballs+whiteballs+blackballs);
13 p=1-prob;
14 disp("Probability not getting black ball");
15 disp(p,"P(B~)=");
```

Scilab code Exa 2.1.c Probability

```
1 //Caption: Probability
2 //Example 2.1.c
3 //page no 43
4 //Find the probability
5 clc;
6 clear;
7 redballs=3;
8 whiteballs=4;
```

```

9 blackballs=5;
10 //Probability Getting black ball
11 pb=blackballs/(redballs+whiteballs+blackballs);
12 //Probability Getting white ball
13 pw=whiteballs/(redballs+whiteballs+blackballs);
14 //Probability Getting white ball or black ball
15 pwb=pb+pw// black and white are mutually exclusive
    events
16 disp("Probability Getting white ball or black ball
    will be ")
17 disp(pwb,"P(B+W)=")

```

Scilab code Exa 2.2 Probability

```

1 //Caption: Probability
2 //Example 2.2
3 //page no 43
4 //find the probability of getting 5
5 clc;
6 clear;
7 total_possibleoutcomes=6*6;
8 probabilityofeachoutcome=1/total_possibleoutcomes;//
    probability of each outcome
9 noofways=4; //ways of getting 5
10 probability=noofways*probabilityofeachoutcome;//
    probability of getting 5
11 disp(probability,"Probability of getting 5 is");

```

Scilab code Exa 2.3 Probability

```

1 //Caption: Probability
2 //Example 2.3
3 //page no 43
4 //find the probability
5 clc;
6 clear;
7 total_cards=52;
8 ways_of_drawingtwocards=52*51/(2*1); //ways of
   drawing 2cards from a deck of 52cards
9 diamonds=13;
10 Hearts=13;
11 waysof_diamonds_Hearts=diamonds*Hearts; //ways of
   drawing a Diamond and a Heart
12 probability=waysof_diamonds_Hearts/
   ways_of_drawingtwocards;
13
14 disp(probability,"Probability that one card is
   Diamond and Othercard is Heart");

```

Scilab code Exa 2.4 Probability

```

1 //Caption: Probability
2 //Example 2.4
3 //page no 44
4 //find the probability
5 clc;
6 clear;
7 whiteballs=4;
8 blackballs=3;
9 pa1=whiteballs/(whiteballs+blackballs); //probability
   of first ball is white
10 pa2=(whiteballs-1)/(whiteballs+blackballs-1); //
   probability of second ball is white

```

```

11 pa3=(blackballs)/(whiteballs+blackballs-2);//
    probability of third ball is black
12 required_probability=pa1*pa2*pa3;
13 disp(required_probability,"probability of first two
    balls are white and third ball is black");

```

Scilab code Exa 2.5 Probability

```

1
2 //Caption: Probability
3 //Example 2.5
4 //page no 44
5 //find the probability
6 clc;
7 clear;
8 whiteballs=5;
9 redballs=3;
10 balckballs=2;
11 totalballs=whiteballs+redballs+balckballs;
12 pw=whiteballs/totalballs;//probability of
    gettingfirst ball is white
13 pr=redballs/(totalballs-1);//probability of getting
    second ball is red
14 pb=balckballs/(totalballs-2);//probability of
    getting third ball is black
15
16 possibilecases=6;
17 probabalityof_eachcase=pw*pr*pb;
18 totalprobability=6*probabalityof_eachcase;//required
    probability
19 disp(totalprobability,"Probability of balls will be
    in different colours");

```

Scilab code Exa 2.6 Probability

```
1 //Caption: Probability
2 //Example 2.6
3 //page no 45
4 //find the probability
5 clc;
6 clear;
7 //Probability of solving the problem
8 PA=3/4;
9 PB=2/3;
10 PC=1/4;
11 //Probability of not not able solving the problem
12 PNA=1-PA;
13 PNB=1-PB;
14 PNC=1-PC;
15 //probability that no one will solve the problem
16 probability_otsolve=PNA*PNB*PNC;
17 //probability that problem willbe solved
18 probability_solve=1-probability_otsolve;
19 disp(probability_solve,"probability that problem
    willbe solved");
```

Scilab code Exa 2.7 Probability

```
1 //Caption: Probability
2 //Example 2.7
3 //page no 45
```

```

4 //find the probability
5 clc;
6 clear;
7 whiteballs=3;
8 redballs=2;
9 totalballs=whiteballs+redballs;
10 pw1=whiteballs/totalballs;//probability of first
    ball is white
11 pr2=redballs/(totalballs-1)//conditional probability
    event second ball is red with first white
12 probability=pw1*pr2//probability of second ball is
    red with first ball is white
13 disp(probability,"probability of first ball is white
    and second ball is red");

```

Scilab code Exa 2.8 Probability

```

1 //Caption: Probability
2 //Example 2.8
3 //page no 45
4 //find the probability that recorded number is 2
5 clc;
6 clear;
7 head=1/2;//probability of getting head
8 tail=1-head;//probability of getting tail
9 head2= head*1/6;//probability of getting head with
    recorded number is 2
10 tail2=tail*1/36;//probability of getting tail with
    recorded number is 2
11
12 //probability of getting recorded number is 2
13 p=head2+tail2;
14 disp(p,"probability of getting recorded number is 2"

```

);

Scilab code Exa 2.9 Probability

```
1 //Caption: Probability
2 //Example 2.9
3 //page no 46
4 //find the probability
5 clc;
6 clear;
7 PA=1/8;
8 PB=1/12;
9 probability_makingerror=1/10001;
10 probability=(PA*PB)/((PA*PB)+((1-PA)*(1-PB)*
    probability_makingerror));
11 disp(probability,"Probability of program is correct"
    );
```

Scilab code Exa 2.12 Probability density function

```
1 //Caption: Probability density function
2 //Example 2.12
3 //Find find the value of k
4 clc;
5 clear;
6 function y=FX1(x) //for -infinte <x<=0
7     y=0
8 endfunction
9 function y=FX2(x) //for 0<x<=10
```



```

10         y=k*x^2
11 endfunction
12 function y=FX3(x)           //for 10<x<infine
13         y=100*k
14 endfunction
15 k=poly(0,"k");
16                                     //from the expression for
                                     CDF is given
17 y=100*k                         //for 10<x<infine
18 y==1;
19 k=1/100;                         //k=y/100
20 disp(k,"i) k = ");
21 //CDF function can be expressed
22 // FX(x)=P(X<=x)
23 P5=FX2(5);                       //x=5
24 disp(P5,"ii) P(X<=5) = ");
25                                     //now differentiating with
                                     respect to x we ,have
26                                     //PDF fX=0 for -infinte<
                                     x<=0,10<x<infine

27 x=poly(0,"x");
28 m=x^2/100;
29 df=derivat(m);                   // for 0<x<=10
30 disp(" for 0<x<=10",df,"iii)PDF a) fX(x) =");
31 disp(" -infinte<x<=0,10<x<infine",0," b) fX(x) = "
);
32
33 x1=5,x2=7;
34 function y=z(x),
35         y=x/50;
36 endfunction
37 P=intg(x1,x2,z);
38 disp(P,"iv) P(5<X<=7) =");

```

Scilab code Exa 2.13 Probability

```
1 //Caption: Probability
2 //Example 2.13
3 //page no 54
4 //find the probability
5 clc;
6 clear;
7 function y=f(x),
8     y=2*exp(-(2*x)), //Probability Density Function
9 endfunction
10
11 a=1;
12 b=3;
13 P=intg(a,b,f); //probability that random variable
    between 1 and 3
14 disp(P, "P(1<X<3)=" );
```

Scilab code Exa 2.14 Probability

```
1 //Caption: Probability
2 //Example 2.14
3 //page no 54
4 //find the probability
5 clc;
6 clear;
7 function y=f(x),
8     y=12*x^3-21*x^2+10*x, //Probability Density
    Function
9 endfunction
10 a=0;
11 b=1/2;
12 P=intg(a,b,f);
```

```
13 disp(P,"P(X<=1/2)=" );
14 disp(1-P,"P(X>1/2)=" );
```

Scilab code Exa 2.20 Joint probability

```
1 //Caption: Joint probability
2 //Example 2.20
3 //Page no 60
4 //Find Determine the value of constant C
5 clc;
6 clear;
7 X=[0,0;2,2;2,0];
8 Y=[0,0;3,3;0,3];
9 function y=f(x,y),
10     y=2*x+y;
11 endfunction
12 P=int2d(X,Y,f);
13 C=poly(0,"C");
14 //we know that joint PDF
15 // double integration fXY(x,y)dxdy=1
16 //C*P==1;
17 C=1/P;
18 disp(C,"C = ")
```

Scilab code Exa 2.23 probability density function

```
1 //Caption: probability density function
2 //Example 2.23
3 //page no
```

```

4 //verify the area under curve is unity ,prove that
   the mean is zero
5 clc;
6 clear;
7 //continuous random variable X in the range(-3,3)
8 //PDF of fucntions
9 function y=fX1(x)
10         y=((3+x)^2)/16; //for -3<=x<=-1
11 endfunction
12 a1=-3;
13 a2=-1;
14
15 function y=fX2(x), //for -1<=x<=1
16         y=(6-2*x^2)/16;
17 endfunction
18 b1=-1;
19 b2=1;
20
21 function y=fX3(x)
22         y=((3-x)^2)/16; //for 1<=x<=3
23 endfunction
24 c1=1;
25 c2=3;
26 //area under pdf curve
27 //area = integral Fx(x)dx from -3 to 3
28 area =intg(a1 ,a2 ,fX1)+intg(b1 ,b2 ,fX2)+intg(c1 ,c2 ,fX3
   );
29 disp(area ,” Area =”);
30 disp(” Therefore area under PDF curve is unity.”);
31 function y=f1(x)
32         y=(x*(3+x)^2)/16; //for -3<=x<=-1
33 endfunction
34 a1=-3;
35 a2=-1;
36
37 function y=f2(x), //for -1<=x<=1
38         y=(x*(6-2*x^2))/16;
39 endfunction

```

```

40 b1=-1;
41 b2=1;
42 function y=f3(x)
43     y=(x*(3-x)^2)/16;    //for 1<=x<=3
44 endfunction
45 c1=1;
46 c2=3;
47 mx=intg(a1,a2,f1)+intg(b1,b2,f2)+intg(c1,c2,f3); //
    mean value
48 disp(mx,"Mean value =");
49 disp(" Therefore mean value is zero.");
50 //Therefore area under PDF curve is unity
51 //Hence Therefore mean value is zero

```

Scilab code Exa 2.24 mean mean Square Standard deviation

```

1 //Caption: mean ,mean Square Standard deviation
2 //Example 2.24
3 //page no
4 //Find mean,mean Square ,Standard deviation
5 clc;
6 clear;
7 function y=f(x)
8     y=x/(2*%pi); //for 0<=x<=2*%pi
9 endfunction
10
11 a=0;
12 b=2*%pi;
13 mx=intg(a,b,f); //mean value
14 disp(mx,"Mean value mx=");
15
16 function y=fX(x)
17     y=x^2/(2*%pi); //for 0<=x<=2*%pi

```

```

18 endfunction
19 a=0;
20 b=2*%pi;
21 //X^2=E(X^2)
22 X2=intg(a,b,fX); //mean square value
23 disp(X2,"Mean square value X^2 =");
24
25 sigma2=X2-mx^2; //variance
26 sigma=sqrt(sigma2); //Standard deviation
27 disp(sigma,"Standard deviation sigma=")

```

Scilab code Exa 2.31 Mean and Variance

```

1 //Caption: Mean, Variance
2 //Example 2.31
3 //page no 85
4 //find i) Mean
5 //      ii) Variance of given function
6 clc;
7 clear;
8
9 //Mean Value
10 function X=f(x),
11     z=3*(1-x)^2, //Marginal Probability Density
12     X=x*z
13 endfunction
14 a=0;
15 b=1;
16 EX=intg(a,b,f); //Mean value of X
17
18 function Y=c(y)
19     z=3*(1-y)^2, //Marginal Probability Density

```

```

                Function
20         Y=y*z
21     endfunction
22
23     EY=intg(a,b,c); //Mean value of Y
24     disp(EX," i)Mean of X =")
25     disp(EY," Mean of Y =")
26
27     //Variance
28     function X=g(x),
29         z=3*(1-x)^2, //Marginal Probability Density
                Function
30         X=x^2*z
31     endfunction
32     a=0;
33     b=1;
34     EX2=intg(a,b,g);
35
36     function Y=h(y)
37         z=3*(1-y)^2, //Marginal Probability Density
                Function
38         Y=y^2*z
39     endfunction
40
41     EY2=intg(a,b,h);
42
43     vX2=EX2-(EX)^2; //Variance of X
44     vY2=EY2-(EY)^2; //Variance of Y
45
46     disp(vX2," ii)Variance of X");
47
48     disp(vY2," Variance of Y");

```

Chapter 3

SAMPLING THEORY AND PULSE MODULATION

Scilab code Exa 3.1 Nquist Rate

```
1 //Caption: Nquist Rate
2 //Example 3.1
3 //page no 102
4 //find Nquist Rate
5 //given
6 clc;
7 clear;
8 w1=50*%pi;
9 w2=300*%pi;
10 w3=100*%pi;
11 //w=2*%pi*f
12 f1=w1/(2*%pi);
13 f2=w2/(2*%pi);
14 f3=w3/(2*%pi);
15 fm=f2;//fm = maximum frquency is present at the
    signal
16 disp(f2,"maximum frquency of the signal is");
17 disp(" Hz");
18 fs=2*fm;//Nyquist rate
```



```
19 disp("Nquist Rate of Signal is");
20 disp(" Hz",fs);
```

Scilab code Exa 3.2 Nquist Rate and time interval

```
1 //Caption: Nquist Rate,time interval
2 //Example 3.2
3 //page no 103
4 //Find Nquist Rate and Nquist time interval
5 //given
6 clc;
7 clear;
8 w1=5000*%pi;
9 w2=3000*%pi;
10 f1=w1/(2*%pi);
11 f2=w2/(2*%pi);
12 fm=f1;//fm = maximum frquency is present at the
    signal
13 disp(" Hz",f1," i) maximum frquency of the signal is"
    );
14
15 fs=2*fm;//Nyquist rate
16 disp(" Hz",fs," ii) Nquist Rate of the given Signal
    is");
17 Ts=1/(2*fm);//frequency =1/time
18 disp("m Sec",Ts*10^3," iii) Nquist Interval of the
    given signal is");
```

Scilab code Exa 3.3 Nquist Rate

```

1  ////Caption Nquist Rate
2  //Example 3.3
3  //page no 104
4  //Find Nquist Rate
5  //given
6  clc;
7  clear;
8  f=100;
9  fs=2*f;//Nyquist rate
10 disp(" Hz",fs,"(i)To avoid aliasing Nquist Rate is ")
    );

```

Scilab code Exa 3.4 Nquist Rate

```

1  //Caption: Nquist Rate
2  //Example 3.4
3  //page no 105
4  //Find Nquist Rate of Continous signal
5  //given
6  clc;
7  clear;
8
9  w1=50*%pi;
10 w2=300*%pi;
11 w3=100*%pi;
12 f1=w1/(2*%pi);
13 f2=w2/(2*%pi);
14 f3=w3/(2*%pi);
15 fmax=f2;//fmax = Highest frquency component of the
    message signal
16 disp(" Highest frquency component of the message
    signal will be");
17 disp(fmax," fmax=");

```

```
18 disp(" Hz");
19 fs=2*fmax;//Nyquist rate
20 disp("Nquist Rate of the given Signal is");
21 disp(" Hz",fs);
```

Scilab code Exa 3.7 Amplitude

```
1 //caption: amplitude
2 //Example 3.7
3 //page no 123
4 //find amplitude distortion at highest frquency
5 //given
6 clc;
7 clear;
8
9 fs=9.5; //samplig frequency
10 fmax=1; //maximum frequency
11 t=0.2; //pulse width
12 c=3*10^8;
13 f=fmax;
14 H1=t*sinc(f*t); //aperture effect at highest
    frequency
15 disp(H1*100," |H(1)|=");
16 disp("%");
```

Scilab code Exa 3.8 Transmission Bandwidth

```
1 //Caption: Transmission Bandwidth
2 //Example 3.8
```

```
3 //page no 131
4 //Calculate Transmission Bandwidth
5 //given
6 clc;
7 clear;
8
9  $fm=3*10^3$ ;
10  $fs=8*10^3$ ; // sampling frequency
11  $Ts=1/fs$ ;
12  $t=0.1*Ts$ ;
13  $BW=1/(2*t)$ ; //Bandwidth
14 disp("Transmission Bandwidth of PAM signal is ");
15 disp(" kHz" , $BW*10^{-3}$  , "BW>=" );
```

Chapter 4

WAVEFORM CODING TECHNIQUES

Scilab code Exa 4.2.i code word length

```
1 //Caption:code word length
2 //Example 4.2.i
3 //page no 167
4 //find code word length
5 clc;
6 clear;
7 //Given data
8 bandwidth=4.2*106;
9 fm=bandwidth;
10 q=512// Quantization levels
11 //q=2v
12 v=log10(512)/log10(2);
13 disp(v,"The code word length is ");
14 disp(" bits");
```

Scilab code Exa 4.2.ii Transmission Bandwidth

```
1 //Caption: Transmission Bandwidth
2 //Example 4.2.ii
3 //page no 167
4 //find The transmission Bandwidth
5 clc;
6 clear;
7 //Given data
8 bandwidth=4.2*106;
9 fm=bandwidth;
10 q=512// Quantization levels
11 v=9;
12 bw=v*fm;
13 disp(bw*10-6,"The transmission Bandwidth is ");
14 disp("MHz");
```

Scilab code Exa 4.2.iii Final Bit rate

```
1 //Caption: Final Bit rate
2 //Example 4.2.iii
3 //page no 167
4 //find Final Bit rate
5 clc;
6 clear;
7 //Given data
8 bandwidth=4.2*106;
9 fm=bandwidth;
10 q=512// Quantization levels
11 v=9;
12 fs=2*fm;
13 r=v*fs;//signaling rate
14 disp(r,"Final Bit rate ");
```

```
15 disp(" bits/sec");
```

Scilab code Exa 4.2.iv Output signal to noise ratio

```
1 //Caption: Output signal to noise ratio
2 //Example 4.2.iv
3 //page no 167
4 //find Output signal to noise ratio
5 clc;
6 clear;
7 //Given data
8 bandwidth=4.2*10^6;
9 fm=bandwidth;
10 q=512// Quantization levels
11 v=9;
12 sn=4.8+6*v;//noise in dB
13 disp(sn,"Output signal to noise ratio is");
14 disp("dB");
```

Scilab code Exa 4.3.i bits per sample

```
1 //Caption :bits per sample
2 //Example 4.3.i
3 //page no 168
4 //find bits per sample
5 clc;
6 clear;
7 //Given data
8 fmax=4*10^3;
```

```

9  xmax=3.8;
10 snr=100;
11 P=30*10^-3;
12 v=(log10(((snr*xmax^2)/(3*P)))/(2*log10(2)));
13 disp(ceil(v),"Number of bits required per sample are
      ");
14 disp(" bits");

```

Scilab code Exa 4.3.ii Transmission Bandwidth

```

1 //Caption: Transmission Bandwith
2 //Example 4.3.ii
3 //page no 168
4 //Find Transmission Bandwith
5 clc;
6 clear;
7 //Given data
8 fm=4*10^3;//Bandwidth of PCM
9 xmax=3.8;
10 snr=100;// Signal to Noise Ratio
11 outputs=30;
12 v=7;
13 bw=outputs*v*fm;
14 r=bw*2;
15 disp(bw/10^3,"Transmission Bandwith");
16 disp(" kHz");
17 disp(" bits/sec",r/1000," Signaling rate")

```

Scilab code Exa 4.4 samplingrate bandwidth and bitrate


```

1 //Caption: samplingrate ,number of bits ,bitrate ,
   bandwidth
2 //Example 4.4
3 //page no 169
4 //find sampling rate ,number of bits ,bit rate ,
   bandwidht
5 clc;
6 clear;
7 //Given data
8 emax=0.001;
9 del=2*emax;;
10 fm=100;
11 xmax=10;
12
13 q=(2*xmax)/del;
14 fs=2*fm;
15 v=(log10(q))/log10(2);
16 v=ceil(v);
17 r=v*fs;
18 disp(fs," i)sampling Frequncy");
19 disp("Hz.");
20 disp(v," ii)no. of bits in PCM");
21 disp(" bits.");
22 disp(r," iii)sampling rate");
23 disp(" bits per second.");
24 disp(r/2," iv) Transmission Bandwidth");
25 disp("Hz.");

```

Scilab code Exa 4.5 Bandwidth and Sampling Rate

```

1 //Caption: Bandwidth ,Sampling Rate
2 //Example 4.5
3 //page no 170

```

```

4 //Find Bandwidth , Sampling Rate
5 clc;
6 clear;
7 //Given data
8 fm=3.4*103;
9 N=24;
10 r=1.5*106;
11 encoder=8;
12
13 BW=N*fm;
14 disp(BW/103," Channel Bandwith is");
15 disp(" kHz");
16
17 r1=r/N;
18 fs=r1/encoder;
19
20 disp(fs," sampling frequency");
21 disp(" Hz or samples per second.");

```

Scilab code Exa 4.6 Signal Bandwidth and Noise Ratio

```

1 //Caption: Signal Bandwidth , Noise Ratio
2 //Example 4.6
3 //page no 170
4 //Find Signal Bandwidth , Noise Ratio
5 clc;
6 clear;
7 //Given data
8 v=7;
9 r=50*106;
10 // fs=2*fm
11 fm=r/(2*v);
12 disp(fm*10-6," Maximum message Bandwidth is ");

```

```
13 disp("MHz");
14
15 snr=1.8+(6*v);
16 disp(snr,"signal to quantization noise ratio");
17 disp("dB");
```

Scilab code Exa 4.7 Bitspersample and Transmissionrate

```
1 //Caption: bitspersample , Transmissionrate
2 //Example 4.7
3 //page no 171
4 //find i)bits per sample ,ii)transmission rate
5 clc;
6 clear;
7 //Given data
8 fm=3*10^3;
9 q=16;
10
11 v=(log10(q))/log10(2);
12 disp(v,"bits in code word");
13 disp("bits");
14 fs=2*fm;
15 r=v*fs;
16 disp(r,"bit transmission rate");
17 disp("bits per second")
```

Scilab code Exa 4.8 signal to noise ratio

```
1 //Caption:signal to noise ratio
```

```

2 //Example 4.8
3 //page no 171
4 //find signal to noise ratio
5 clc;
6 clear;
7 //Given data
8 fm=3.5*10^3;
9 r=50*10^3;
10 fs=2*fm;
11 rms=0.2;
12 xmax=2;
13 v=r/fs;//signaling rate r=v*fs
14 v=ceil(v);
15 P=(rms^2)/1;
16 SNR=((3*P*2^(2*v))/(xmax^2));
17 SN=10*log10(SNR);
18 disp(ceil(SN),"signal to noise ratio");
19 disp("dB");

```

Scilab code Exa 4.10 noise ratio and required bits

```

1 //Caption :noise ratio ,required bits
2 //Example 4.10
3 //page no 173
4 //find i)noise ratio ii)bits
5 clc;
6 clear;
7 //Given data
8 Am=3;
9 v=10;
10 SNR=1.8+6*v;//noise ratio
11 disp(SNR,"Signal to Quantization noise ratio");
12 disp("dB.");

```

```
13 SN=40;
14 v=(SN-1.8)/6;
15
16 disp("bits required to get signal to noise ratio of
    40dB",ceil(v));
```

Scilab code Exa 4.11 Maximum frequency

```
1 //Caption :Maximum frequency
2 //Example 4.11
3 //page no 174
4 //find Maximum frequency
5 clc;
6 clear;
7 //Given data
8 v=7;
9 SNR=1.8+6*v;
10 r=56*10^3;
11 fs=r/v;//r=v*fs signaling rate
12 fm=fs/2;//Nquist rate
13 disp(fm/10^3,"Maximum frequency is");
14 disp("kHz");
```

Scilab code Exa 4.13 Maximum Amplitude

```
1 //Caption: Maximum Amplitude
2 //Example 4.13
3 //page no 185
4 //Find Maximum Amplitude
```

```

5 clear;
6 clc;
7 fm=3*10^3;
8 Nyquistrate=2*fm;//Nyquistrate
9 fs=5*Nyquistrate;//Samplingfrquency
10 Ts=1/fs;// Sampling Interval
11 del=0.25;//step size
12 fm1=2*10^3;
13 Am=del/(2*%pi*fm1*Ts);
14 disp("Volts",Am,"Maximum Amplitude ");

```

Scilab code Exa 4.14 Signaling rate

```

1 //Caption: signaling rate
2 //Example 4.14
3 //page no 187
4 //Find signaling rate
5 clear;
6 clc;
7 fs1=8*10^3;
8 del=31.25*10^-3;
9 q=64;
10 v=log2(q);
11 r=v*fs1;//signaling rate
12 disp(r*10^-3,"i)Signaling rate of PCM is");
13 disp("kHz");
14
15 fm=3*10^3;
16 A=1;
17 fs2=(2*%pi*fm*A)/(del);
18 disp(fs2*10^-3,"ii)The signaling rate of DM is");;
19 disp("kHz");

```

Scilab code Exa 4.15 Signal to noise ratio

```
1 //Caption: Signal to noise ratio
2 //Example 4.15
3 //page no 188
4 //Find signal to noise ratio
5 clear;
6 clc;
7 fs=64*10^3;
8 fm=2*10^3;
9 fM=4*10^3;
10 SNR=(3*fs^3)/(8*pi^2*fm^2*fM); // Signal to noise
    ratio
11 SNRO=10*log10(SNR)
12 disp("dB",SNRO,"Output signal to noise ratio =");
```

Scilab code Exa 4.16 Signal to Quatization noise ratio

```
1 //Caption: Signal to Quatization noise ratio
2 //Example 4.16
3 //page no 188
4 //Find signal to Quatization noise ratio
5 clear;
6 clc;
7
8 fs=8*10^3;
9 r=64*10^3;
10 N=8; //number of bits
```

```
11 SNR=(1.8+6*N); //signal to Quatization noise ratio
12 disp(SNR,"Signal to Quatization noise ratio of PCM
    system is")
13 disp("dB");
```

Scilab code Exa 4.17 sampling rate and quantizing level

```
1 //Caption: sampling rate ,quantizing level
2 //Example 4.17
3 //page no 194
4 //Find sampling rate ,quantizing level
5 clear;
6 clc;
7 r=36000;
8 fm=3.2*10^3;
9 fs=2*fm; //Nquest rate
10
11 v=r/fs; //r=v*fs signaling rate
12 v=floor(v);
13 q=2^v;
14 fs1=r/v;
15 disp(q,"quantizing level q=");
16 disp(fs1/1000,"sampling rate fs=");
17 disp("kHz");
18 disp(v,"Number of binary digits =")
```

Scilab code Exa 4.18 time duration of binary signal

```
1 //Caption: time duration of binary signal
```



```

2 //Example 4.18
3 //page no 196
4 //Find time duration of 1bit binary encoded signal
5 clear;
6 clc;
7 fs=input("Enter the Nyquist rate of Signal fs(Hz)=")
8 ;
9 q=input("Enter the Quantization levels q =");
10 v=log2(q); //binary pulses transmitted per second
11 t=1/(v*fs); //Nyquist interval
12 disp(" sec",t," Time duration of binary signal t="
13 );
14 //output
15 //Enter the Nyquist rate fs(Hz)=3
16 //Enter the Quantization levels q =5
17 // time duration of 1bit binary signal
18 // t=0.1435589 sec

```

Scilab code Exa 4.20 Quantizing noise ratio

```

1
2 //Caption: Quantizing noise ratio
3 //Example 4.20
4 //page no 196
5 //find signal to noise ratio
6 clc;
7 clear;
8
9 SNR=40;
10 SNRO=10^(SNR/10);

```

```

11 //SNR=3(q^2)/2, Signal to Quantization noise ratio
12 q=sqrt((2*SNRO)/3);
13 q=ceil(q);
14 v=log2(q); //q=2^v Quantization levels
15 v=ceil(v);
16 snr=1.76+6.02*v; //output Signal to Quantization
    noise ratio
17 disp("dB",snr,"Output Signal to Quantization noise
    ratio")

```

Scilab code Exa 4.21.i Quantizing levels and bits per sample

```

1 //Caption:Quantizing levels , bits per sample
2 //Example 4_21.i
3 //page no 197
4 //Find Quantizing levels ,minimum number of bits
    per sample
5 clear;
6 clc;
7 SNRO=30; //dB
8 fmin=300;
9 fmax=3300;
10 fs=80000;
11 //SNRO=1.76+20log10(q)
12 q=10^((SNRO-1.76)/20);
13 q=ceil(q);
14 v=log2(q);
15 disp(q,"Quantizing levels required is");
16 disp(ceil(v),"minimum number of bits per sample are"
    );

```

Scilab code Exa 4.21.ii Bandwidth

```
1 //Caption: Bandwidth
2 //Example 4.21.i
3 //page no 197
4 //Find minimum required bandwidth
5 clear;
6 clc;
7 SNRO=30; //dB
8 fmin=300;
9 fmax=3300;
10 fs=8000;
11 v=5;
12 fPCM=(v*fs)/2;
13 disp(fPCM/1000,"minimum required bandwidth");
14 disp("kHz");
```

Scilab code Exa 4.21.iii Quantizing levels bits per sample and Bandwidth

```
1 //Caption: Quantizing levels ,bits per sample ,
   Bandwidth
2 //Example 4.21.iii
3 //page no 197
4 //Find Quantizing levels ,minimum number of bits
   per sample and bandwidth
5 clear;
6 clc;
7 SNRO=30; //dB
```

```

8  fmin=300;
9  fmax=3300;
10 fs=8000;
11
12 q=10^((SNR0+10.1)/20);
13 q=ceil(q);
14 v=log2(q);
15 v=ceil(v);
16 disp(q,"Quantizing levels need is");
17 disp(v,"minimum number of bits per sample is");
18
19
20 fPCM=(v*fs)/2;
21 disp(fPCM/1000,"minimum required bandwidth");
22 disp("kHz");

```

Scilab code Exa 4.24 Maximum Amplitude and SNR

```

1  //Caption: Maximum Amplitude ,SNR
2  //Example 4.24
3  //page no 199
4  //determine the Maximum Amplitude ,
5  //
6  clear;
7  clc;
8  del=250*10^-3;
9  wm=2*%pi*1000;
10 fs=3*10^3;
11 Ts=1/fs
12
13 Amax=(del*3*fs*2)/(wm); //Amplitude
14 disp("V",Amax,"Maximum Amplitude,");

```

Scilab code Exa 4.26 Bits per sample

```
1 //Caption:Bits per sample
2 //Example 4.26
3 //page no 200
4 //Find number of bits per sample
5 clear;
6 clc;
7 SNR=20; //dB
8 averagepower=30*10^-3;
9 SNRO=10^(SNR/10); //dB
10 A=3.8;
11 //L=2^n
12 //SNRO=average signal power/Quatizing power
13 //del=(2*A)/L
14 L=sqrt((SNRO*A^2)/(3*averagepower));
15 n=log2(L);
16 n=ceil(n);
17 disp(n,"Bits required per sample");
```

Scilab code Exa 4.27.i Normalized power

```
1 //Caption:Normalized power
2 //Example 4.27.i
3 //page no 200
4 //Find Normalized power for quantization noise
5 clear;
6 clc;
```

```

7 fm=3*10^3;
8 v=8;
9 VH=5;
10 VL=-5;
11 q=2^v;
12 del=(VH-VL)/q;
13 Nq=del^2/12; //quantization noise
14 disp("W",Nq,"Normalized power for quantization noise
      ")

```

Scilab code Exa 4.27.ii Bit transmission rate

```

1 //Caption: Bit transmission rate
2 //Example 4.27. ii
3 //page no 200
4 //Find bit transmission rate
5 clear;
6 clc;
7 fm=3*10^3;
8 v=8;
9 VH=5;
10 VL=-5;
11 q=2^v;
12
13 fs=2*fm; //Nyquist rate
14 r=8*fs;
15 disp("K bits/s",r/1000,"bit transmission rate");

```

Scilab code Exa 4.27.iii SNR

```

1 //Caption: SNR
2 //Example 4.27.i
3 //page no 200
4 //Find Signal to quantization noise ratio
5 clear;
6 clc;
7 Nq=127.15*10^-6
8 Meansignal=2;
9 P=Meansignal/1;
10 SNR=P/Nq;
11 SNRq=10*log10(SNR);
12 disp("dB",SNRq,"Signal to quantization noise ratio")
    ;

```

Scilab code Exa 4.28 SNR bitrate and no of bits recorded

```

1 //Caption: SNR, bitrate ,no. of bits recorded
2 //Example 4.28
3 //page no 201
4 //Find i)SNR ii)output bit rate iii)no. of bits
    recorded
5 clear;
6 clc;
7 N=16;
8 v=16;
9 fs=44.1*10^3;
10 SNR=1.76+6*N;
11 disp("dB",SNR,"i)Out put signal noise ratio");
12 bitrate=2*v*fs;
13 outputbitrate=2*bitrate;//including addtional 100%
    over head
14 disp("Mbits/sec",outputbitrate*10^-6,"ii)output bit
    rate");

```

```
15 CD=outputbitrate*3600;
16 disp(" gigabits",CD*10^-9," iii)no. of bits recorded in
    CD");
```

Scilab code Exa 4.29 output SNR

```
1 //Caption: output SNR
2 //Example 4.29
3 //page no 202
4 //Find output SNR
5 clear;
6 clc;
7 fm=1*10^3;
8 fs=32*10^3;
9 FM=4*10^3; // Bandwidth
10 SNR=(3*fs^3)/(8*pi^2*fm^2*FM); //SNR
11 SNR0=10*log10(SNR);
12 disp("dB",SNR0," Output signal to noise ratio");
```

Scilab code Exa 4.30.i step size

```
1 //Caption: step size
2 //Example 4.30 i
3 //page no 202
4 //Find step size
5 clear;
6 clc;
7 fs=64000; // samples/sec
8 Amax=1;
```



```
9 fm=3500;
10 //A=del/(2*%pi*fm*Ts)
11 del=(2*%pi*fm*Amax)/fs;
12 disp("mV",del*1000,"Step Size ");
```

Scilab code Exa 4.30.ii Noise power

```
1 //Caption: noise power
2 //Example 4.30 ii
3 //page no 202
4 //Find Quantizatio noise power
5 clear;
6 clc;
7 fs=64000;
8 Amax=1;
9 fm=3500;
10 del=343.6117*10^-3;//step size
11 Nq=del^2/3;//Quantizatio noise power
12 Nqd=Nq*(fm/fs);
13 disp("mW",Nqd*1000,"Quantizatio noise power ");
```

Scilab code Exa 4.30.iii Signal to Noise Ratio

```
1 //Caption: SNR
2 //Example 4.30 iii
3 //page no 202
4 //Find SNR
5 clear;
6 clc;
```

```

7 fs=64000;
8 Amax=1;
9 fm=3500;
10 Nqd=2.1522995*10^-3;
11 So=Amax^2/2;
12 SNR=So/Nqd;
13 SNR0=10*log10(SNR);
14 disp("dB",SNR0,"Output signal noise ratio");

```

Scilab code Exa 4.31 number of bits per sec

```

1 //Caption: no.of bits/sec
2 //Example 4.31
3 //page no 203
4 //Find no.of bits/sec
5 //assuming signal is sampled at the rate 20% above
  Nyquist rate
6 clear;
7 clc;
8 fm=4.5*10^6;
9 q=1024;
10 fs=1.2*2*fm;//20% above Nyquist rate
11 v=log2(q);
12 r=v*fs;
13 disp("M bit/sec",r/10^6,"no. of bits/sec");

```

Scilab code Exa 4.32 step size noise power and SNR

```

1 //Caption: step size ,noise power , SNR

```

```

2 //Example 4.32
3 //page no 203
4 //Find step size ,noise power , SNR
5 //assume bandwidth of the singal is 4kHz
6 clear;
7 clc;
8 fs=32000;
9 A=2;
10 fm=4000;
11 BW=4000;
12 del=(2*%pi*fm*A)/fs;
13 disp("Volt",del,"i)step size");
14 Nq=del^2/3
15 disp("W",Nq,"ii)noise power");
16 SNR=(3*fs^3)/(8*%pi^2*fm^2*BW);
17 disp(SNR,"iii)SNR=");

```

Scilab code Exa 4.33 signaling rate and bandwidth

```

1 //Caption: signaling rate , bandwidth
2 //Example 4.33
3 //page no 204
4 //Find signaling rate , bandwidth
5 //assuming signal is sampled at the rate 20% above
   Nyquist rate
6 clear;
7 clc;
8 fm=15*10^3;
9 fs=1.2*2*fm;
10 q=65536;
11 v=log2(q);
12 r=v*fs;
13 disp("i)signaling rate,")

```

```
14 disp("K bits/sec",r/1000,"r=");
15 BW=r/2;
16 disp(" ii) bandwidth")
17 disp(" kHz",BW/1000,"BW min=")
```

Scilab code Exa 4.34 Step size and Noise power

```
1 //Caption: step size ,noise power
2 //Example 4.34
3 //page no 204
4 //Find step size ,noise power
5 clear;
6 clc;
7 fs=64*10^3;
8 fm=3500;
9 A=1;
10 del=(2*%pi*fm*A)/fs;//step size
11 disp(" Volts",del," i)step size");
12 Nq=(del^2/3)*(fm/fs);//Granular noise power
13 disp("W",Nq," ii)Nq=");
```

Chapter 5

DIGITAL MULTIPLEXERS

Scilab code Exa 5.1 Sampling Rate

```
1 //Caption: Sampling Rate
2 //Example 5.1
3 //page no 220
4 //Find Sampling Rate
5 clear;
6 clc;
7 f1=4*10^3;
8 f2=4.5*10^3;
9 fsmin=2*f2;
10 disp("kHz",fsmin/1000,"Sampling rate");
```

Scilab code Exa 5.2 Nyquist rate Signaling rate and bandwidth

```
1 //Caption: Nyquist rate , Signaling rate , bandwidth
2 //Example 5.2
3 //page no 220
4 //Find i) Nyquist rate ,
```

```

5 //      iii) Signaling rate ,
6 //      iv) bandwidth
7 clc;
8 clear;
9
10 f1=3000;
11 f4=1000;
12 f2=1000;
13 f3=1000;
14 //Nyquist rate
15 nq1=2*f1;
16 nq2=2*f2;
17 nq3=2*f3;
18 nq4=2*f4;
19 disp(" kHz",nq1," i) Nyquist rate of x1");
20 disp(" kHz",nq2,"  Nyquist rate of x2");
21 disp(" kHz",nq3,"  Nyquist rate of x3");
22 disp(" kHz",nq4,"  Nyquist rate of x4");
23
24 r=nq1+nq2+nq3+nq4;
25 disp(" Samples/sec",r," iii) Signaling rate");
26 bw=r/2;
27 disp(" Hz",bw," iv) Minimum channel bandwidth");

```

Scilab code Exa 5.3 spacing distance

```

1 //Caption: spacing distance
2 //Example 5.3
3 //page no 221
4 //Find The spacing between two successive pules
5 clc;
6 clear;
7 samplingrate=8000;

```

```

8 totalsignals=24+1;
9 t=1/samplingrate;
10 T=t/totalsignals;
11 T=T*10^6//time is now u sec
12 space=T-1;
13 disp("u sec",space,"The spacing between two
    successive pules");

```

Scilab code Exa 5.4 signaling rate and bandwidth

```

1 //Caption: signaling rate ,bandwidth
2 //Example 5.4
3 //page no 222
4 //Find signaling rate ,bandwidth
5 clc;
6 clear;
7 N=6;
8 fm=5000;
9 r=2*fm;//sampling rate
10 sr=N*r;//signalingrate
11 disp("K bits/sec",sr/1000," Signaling rate");
12 BW=N*fm;//Bandwith
13 disp("kHz",BW/1000," Bandwith to avoid the cross talk
    in TDM is");

```

Chapter 6

DIGITAL BASEBAND TRANSMISSION

Scilab code Exa 6.25 roll of factor

```
1 //Caption: roll of factor
2 //Example 6.25
3 //page no 307
4 //Find The roll of factor alpha
5 clc;
6 clear;
7 datarate=0.1*106;
8 fB=75000; //bandwidth
9 Tb=1/datarate;
10 alpha=2*fB*Tb-1
11 disp(alpha,"factor alpha = ")
```

Scilab code Exa 6.26 Transmission bandwidth


```
1 //Caption: Transmission bandwidth
2 //Example 6.26
3 //page no 307
4 //Find The Transmission bandwidth
5 clc;
6 clear;
7 q=128;
8 alpha=0.2
9 n=log2(q);
10 fm=2000;
11 Nq=2*fm;
12 fs=1.25*Nq;
13 N=8;
14 total=N*fs;
15 bitrate=7*total;
16 fB=((1+alpha)*bitrate)/2;
17 disp(" kHz",fB/1000," Transmission Bandwidth");
```

Chapter 8

DIGITAL MODULATION TECHNIQUES

Scilab code Exa 8.1 probability of error

```
1
2 //Caption: probability of error
3 //Example 8.1
4 //page no 374
5 //Find probability of bit error
6 //AWGN is added to signal
7 clc;
8 clear;
9 N0=2*10-15;
10 Ps1=1/2;
11 Ps2=1/2;
12 A=0.2*10-3;
13 T=2*10-6;
14
15 Eb=(A/sqrt(2))2*T*Ps1+Ps2*02; //Eb=bit energy
16 z=sqrt(Eb/N0); //Probability
17 disp(z,"z = ");
18 //Pe=(8)*10(-4)//probability of error from the
    table
```

```

19 Pe=1/2*erfc(z/sqrt(2));
20 disp("probability of bit error when P(s1)=P(s2)=1/2
    ");
21 disp(Pe,"P(e)=");

```

Scilab code Exa 8.2 peak Amplitude

```

1 //Caption: peak Amplitude
2 //Example 8.2
3 //page no 374
4 //Find peak Transmission pulseAmplitude
5 clc;
6 clear;
7 N0=1.338*10^-5;
8 Pe=2.055*10^-5;
9 T=100*10^-6;
10 //Pe=erfc(sqrt(Eb/(2*N0)));
11 Eb=(2*2.9^2*N0);
12 A=sqrt((Eb*2)/T);
13 disp("Volts",A,"Transmission pulse Amplitude");

```

Scilab code Exa 8.4 probability of error

```

1 //Caption: probability of error
2 //Example 8.4
3 //page no 377
4 //Find probability of error
5 clc;
6 clear;

```

```

7 A=1*10^-3;
8 Tb=0.2*10^-3;
9 fb=1/Tb;
10 fc=5*fb;
11 N0=2*10^-11; // power sepctral density
12
13 Eb=(A^2*Tb)/2; //Eb=bit energy
14
15
16 z=sqrt(Eb/N0);
17 Pe=erfc(z) //bit error probability
18 disp("Error probability of PSK is ")
19 disp(Pe,"P(e) =");

```

Scilab code Exa 8.5 probability bit error

```

1 //Caption: probability bit error
2 //Example 8.5
3 //page no 378
4 //Find bit error probability
5 clc;
6 clear;
7 A=10*10^-3;
8 T=10^-6;
9 N0=10^-11; // power sepctral density
10
11 Eb=(A^2*T)/2 //Eb=bit energy
12
13 z=sqrt(Eb/N0); //Probability of ASK
14 Pe=erfc(z) //bit error probability
15 disp("bit error probability ")
16 disp(Pe,"Pe =");

```

Scilab code Exa 8.7 Amplitude

```
1 //Caption: amplitude
2 //Example 8.7
3 //page no 379
4 //Find carrier amplitude
5 clc;
6 clear;
7 Pe=10^-4; //probability of error of PSK
8 N0=2*10^-10;
9 //from table error function
10 //Pe=erffc(z)
11 z=2.6
12 r=10^6;
13 T=1/r;
14 //z=sqrt(Eb/N0)
15 Eb=N0*z^2; // Eb=bit energy
16 A=sqrt((Eb*2)/T); //Eb=A^2*T/2
17 disp("mV",A*1000," Carrier Amplitude");
```

Scilab code Exa 8.8 Carrier power and Bandwidth

```
1
2 //Caption: Carrier power
3 //Example 8.8
4 //page no 382
5 //Find Carrier power ,Bandwidth
6 clc;
```

```

7 clear;
8 Pe=10^-4; //probability of error of FSK
9 r=1*10^6 //transmitted rate
10 N0=1*10^-7; //psd at input of the receiver
11 //from table error function
12 //Pe=erffc(z)
13 z=3.71
14 T=1/r;
15 //z=sqrt(Eb/N0)
16 //Eb=N0*z^2; // Eb=bit energy
17 Ac=sqrt((z^2*2*N0)/T);
18
19 AP=(Ac/sqrt(2))^2; //average carrier power
20 disp(" watts",AP," Average carrier power =");
21 BW=1/T;
22 disp("MHz",BW*10^-6," Channel Bandwidth =");

```

Scilab code Exa 8.10 probability of error

```

1 //Caption: probability of error
2 //Example 8.10
3 //page no 382
4 //Find probability of error of FSK
5 clc;
6 clear;
7 rb=300; //bit rate
8 T=1/rb;
9 A2N0=8000;
10 //Pe=1/2*exp(-Eb/2N0);
11 //Eb=A^2*T/2
12 Pe=1/2*exp(-((A2N0*T)/4)); //Probability of error non
    coherent FSK
13 disp(Pe," Probability of error is ");

```

Scilab code Exa 8.11 probability of symbol error

```
1 //Caption: probability of symbol error
2 //Example 8.11
3 //page no 383
4 //Find probability of symbol error
5 //assuming coherent detection
6 clc;
7 clear;
8 rb=2.5*10^6//binary data rate
9 N0=2*10^-20;//power spectral density of noise FSK
   system
10 A=1*10^-6;//amplitude of received signal
11 T=1/rb;
12 Eb=(A^2*T)/2;// Eb=bit energy
13 z=sqrt(Eb/(2*N0))
14 Pe=1/2*erfc(z);//probability of symbol error
15 disp(Pe,"probability of symbol error");//
```

Chapter 9

INFORMATION THEORY

Scilab code Exa 9.1 Information Content

```
1 //Caption: Information Content
2 //Example 9.1
3 //page no 394
4 //Find Information Content of Each Symbol
5 clc;
6 clear;
7 px1=1/2;
8 px2=1/4;
9 px3=1/8;
10 px4=1/8;
11 //information content of each symbol
12 Ix1=log2(1/px1);
13 Ix2=log2(1/px2);
14 Ix3=log2(1/px3);
15 Ix4=log2(1/px4);
16 printf("Information Content \n\n \tI(x1) = %d bit \n",Ix1);
17 printf(" \tI(x2) = %d bits\n",Ix2);
18 printf(" \tI(x3) = %d bits\n",Ix3);
19 printf(" \tI(x4) = %d bits\n",Ix4);
```

Scilab code Exa 9.2 Information

```
1 //Caption: Information
2 //Example 9.2
3 //page no 394
4 //Find amount of Information
5 clc;
6 clear;
7 pxi=1/4;
8 Ixi=(log10(1/pxi))/log10(2);
9 printf(" \n The amount of Information \n \n\t I(Xi)
    = %.2d bits",Ixi)
```

Scilab code Exa 9.3 Amount of Information

```
1 //Caption: Amount of Information
2 //Example 9.3
3 //page no 395
4 //Find Amount of Information
5 clc;
6 clear;
7 px1=1/2;
8 px2=1/2;
9 Ix1=log2(1/px1); //entropy
10 Ix2=log2(1/px2);
11
12 printf(" \n The amount of Information \n \n\t I(X1)
    = %.2d bit\n",Ix1);
```

```
13 printf(" \n The amount of Information \n \n\t I(X2)
    = %.2d bit",Ix2);
```

Scilab code Exa 9.4 Amount of Information

```
1 //Caption: Amount of Information
2 //Example 9.4
3 //page no 395
4 //Find Amount of Information
5 clc;
6 clear;
7 px1=1/4;
8 px2=3/4;
9 Ix1=log2(1/px1);
10 Ix2=log2(1/px2);
11
12 printf(" \n The amount of Information \n \n\t I(X1)
    = %.2d bits\n",Ix1);
13 printf(" \n \t I(X2) = %.3f bits",Ix2);
```

Scilab code Exa 9.9 Entropy

```
1 //Caption: Entropy
2 //Example 9.9
3 //page no 398
4 //Find Entropy,Amount of information
5 clc;
6 clear;
7 px1=0.4;
```

```

8 px2=0.3;
9 px3=0.2;
10 px4=0.1;
11 HX=-px1*log2(px1)-px2*log2(px2)-px3*log2(px3)-px4*
    log2(px4);
12 printf(" \n Entropy \n \n\t i) H(X) = %.2f bits/
    symbol,\n",HX);
13 Px1x2x1x3=px1*px2*px1*px3;
14 Ix1x2x1x3=-log2(Px1x2x1x3);
15
16 printf(" \n Amount of information \n \n\t ii) I(
    x1x2x1x3) = %.2f bits/symbol,\n",Ix1x2x1x3);
17 Px4x3x3x2=px4*px3*px3*px2;
18 Ix4x3x3x2=-log2(Px4x3x3x2);
19
20 printf(" \n \t \n \t I(x4x3x3x2) = %.2f bits/symbol
    .\n",Ix4x3x3x2);

```

Scilab code Exa 9.12 rate of information

```

1 //Caption: rate of information
2 //Example 9.12
3 //page no 401
4 //Find Average rate of information
5 clc;
6 clear;
7 m=16;
8 pxi=1/16;
9 elements=2*10^6;
10 n=32
11 HX=0;
12 for(i=1:16)
13     HX=HX+(-(pxi*log2(pxi)));

```

```

14 end
15
16 r=elements*n;
17 R=r*HX
18 printf("Average rate of information\n \n \t R = %d
      Mbs" ,R/10^6);

```

Scilab code Exa 9.13 information rate

```

1 //Caption: information rate
2 //Example 9.13
3 //page no 401
4 //Find information rate the telegraphic source
5 clc;
6 clear;
7 pdash=1/3;
8 pdot=2/3;
9 tdot=0.2;
10 tdash=0.6;
11 tspace=0.2;
12 HX=-pdash*log2(pdash)-pdot*log2(pdot);
13 Ts=pdot*tdot+pdash*tdash+tspace;
14 r=1/Ts;
15 R=r*HX;
16 printf("Average rate of information\n \n \t R = %.2f
      b/s" ,R);

```

Scilab code Exa 9.14 Information rate

```

1 //Caption: information rate
2 //Example 9.14
3 //page no 402
4 //Find information rate of the source
5 clc;
6 clear;
7 f=input("Enter the frequency f=");
8 px1=1/8;
9 px2=1/8;
10 px3=3/8;
11 px4=3/8;
12
13 HX=px1*log2(1/px1)+px2*log2(1/px2)+px3*log2(1/px3)+
   px4*log2(1/px4); //entropy of the source
14 R=2*f*HX; //r=2*f;
15 printf("information rate \n\n \t R= %.1f bits/sec
   ",R); //f=signal bandwidth

```

Scilab code Exa 9.15 Information rate

```

1 //Caption: information rate
2 //Example 9.15
3 //page no 403
4 //Find information rate of the source
5 //all symbols are equally likely
6 clc;
7 clear;
8 px1=1/2;
9 px2=1/2;
10 px3=1/2;
11 px4=1/2;
12 f=input("Enter the frequency of system fm(in Hz) =");
13 HX=px1*log2(1/px1)+px2*log2(1/px2)+px3*log2(1/px3)+

```

```

    px4*log2(1/px4);
14
15
16 printf("\n Entropy H(X) =%d bits/symbol\n ",HX);
17 R=2*f*HX;
18 printf("\n information rate =%d bits/sec",R);

```

Scilab code Exa 9.16 Entropy and information rate

```

1 //Caption: entropy ,information rate
2 //Example 9.16
3 //page no 404
4 //Find source entropy ,information rate
5 clc;
6 clear;
7 //probability symbols
8 px1=1/2;
9 px2=1/4;
10 px3=1/8;
11 px4=1/16;
12 px5=1/16;
13 Tb=10^-3;
14 HX=px1*log2(1/px1)+px2*log2(1/px2)+px3*log2(1/px3)+
    px4*log2(1/px4)+px5*log2(1/px5);
15 printf("i) source entropy\n\n \tH(X) = %.2f bits/
    symbol\n",HX);//source entropy
16 r=1/Tb;
17 R=r*HX;//information rate
18 printf("\n\n ii)information rate \n\n \t R = %d bits
    /sec",R);

```

Scilab code Exa 9.17 Entropy and information rate

```
1
2 //Caption: entropy and information rate
3 //Example 9.17
4 //page no 404
5 //determine entropy ,information rate
6 //assume if there are 16 outcomes per second
7 clc;
8 clear;
9 px1=1/2;
10 px2=1/4;
11 px3=1/8;
12 px4=1/16;
13 px5=1/16;
14 r=16
15 HX=px1*log2(1/px1)+px2*log2(1/px2)+px3*log2(1/px3)+
    px4*log2(1/px4)+px5*log2(1/px5);
16
17 printf("i) Entropy\n\n \tH(X) = %.2f bits/symbol\n"
    ,HX);//source entropy
18
19 R=r*HX;
20 printf(" \n\n ii)information rate \n\n \t R = %d bits
    /sec",R);
```

Scilab code Exa 9.18 Entropy and information rate

```

1
2 //Caption: entropy ,information rate
3 //Example 9.18
4 //page no 405
5 //determine entropy ,information rate
6 clc;
7 clear;
8 px1=1/4;
9 px2=1/5;
10 px3=1/5;
11 px4=1/10;
12 px5=1/10;
13 px6=1/20;
14 px7=1/20;
15 px8=1/20;
16 f=10*103;
17 fs=10*2*103;
18 HX=px1*log2(1/px1)+px2*log2(1/px2)+px3*log2(1/px3)+
    px4*log2(1/px4)+px5*log2(1/px5)+px6*log2(1/px6)+
    px7*log2(1/px7)+px8*log2(1/px8); //entropy
19 disp(" bits/message",HX,"H(X) = ");
20 r=fs;
21 R=r*HX; //information rate
22 disp(" bits/sec",R,"R = ");

```

Scilab code Exa 9.19 Channel Matrix and joint probability

```

1 //Caption: Channel Matrix ,joint probability
2 //Example 9.19
3 //page no 408
4 //Find Channel Matrix ,joint probability
5
6 clc;

```



```

7 clear;
8 px1=0.5;
9 px2=0.5;
10 py1x1=0.9;
11 py2x1=0.1;
12 py1x2=0.2;
13 py2x2=0.8;
14 PYX=[py1x1 py2x1; py1x2 py2x2];
15 PX=[px1 px2];
16
17 disp(PYX," i) Channel Matrix [P(Y/X)]=");
18 PY=PX*PYX;
19 printf("\n\ ii) P(y1)=%0.2f and P(y2)=%0.2f \n",PY(1)
, PY(2));
20
21 PXd=[px1 0;0 px2];
22 PXY=PXd*PYX;
23 printf("\n iii) P(x1y2)=%0.2f and P(x2y1)=%0.2f",PXY(3)
, PXY(2));

```

Scilab code Exa 9.21 probabilities channel matrix

```

1 //Caption: probabilities channel matrix
2 //Example 9.21
3 //Find probabilities channel matrix
4
5 clc;
6 clear;
7 p=0.2;
8 PX=[0.5 0.5];
9 PXY=[1-p p 0;0 p 1-p];
10 //P(Y)=[P(X)]*[P(Y|X)]
11 PY=PX*PXY

```

```
12 disp(PY," [P(Y)]");
13 disp(PY(1),"P(y1)=");
14 disp(PY(2),"P(y2)=");
15 disp(PY(3),"P(y3)=");
```

Scilab code Exa 9.35 Capacity of Channel

```
1 //Caption: Capacity of Channel
2 //Example 9.35
3 //page no 426
4 //Find Capacity of Channel
5 //Channel is approximated by the AWGN Channel
6 clear;
7 clc;
8 B=4000;
9 S=0.1*10^-3;
10 n=2*10^-12;
11 N=n*B;
12 C=B*log2(1+(S/N)); //Capacity of Channel
13 printf("\n Capacity of Channel \n\n\t C=%0.3f(10^3) b
/s",C/1000);
```

Scilab code Exa 9.36.i information rate

```
1 //Caption: information rate
2 //Example 9.36 i
3 //page no 427
4 //Find information rate
```

```

5 //assume that succeissive samples are statistically
   independent
6 clear;
7 clc;
8 fm=4000;
9 fs=2*fm;
10 n=1.25;
11 r=fs*n;
12 pxi=1/256;
13 HX=-log2(pxi);
14 R=r*HX;
15 printf("Information Rate \n\n \t R= %d kb/s",R/1000)

```

Scilab code Exa 9.36.ii Channel Capacity

```

1 //Caption: Channel Capacity
2 //Example 9.36 ii
3 //page no 427
4 //Find Capacity of Channel
5 //assume that succeissive samples are statistically
   independent
6 clear;
7 clc;
8 B=10*10^3;
9 SN=20;
10 SNR=10^(SN/10)
11 C=B*log2(1+(SNR));
12 disp(" kb/s",C/1000,"C =")

```

Scilab code Exa 9.36.iii SNR

```
1 //Caption: SNR
2 //Example 9.36 iii
3 //page no 427
4 //Find SNR
5 //assume that successive samples are statistically
   independent
6 clear;
7 clc;
8 C=8*10^4;
9 B=10^4;
10 SN=2^(C/B)-1;
11 SNR=10*log10(SN); //SNR
12 disp("dB",SNR,"SNR ="); //required SNR is greater
   that 24.064
```

Scilab code Exa 9.36.iv Bandwidth

```
1 //Caption: Bandwidth
2 //Example 9.36 ii
3 //page no 427
4 //Find Required bandwidth
5 //assume that successive samples are statistically
   independent
6 clear;
7 clc;
8 SN=20;
9 SNR=10^(SN/10);
10 C=8*10^4;
11 B=C/(log2(1+SNR)); //Bandwidth
12 disp("kHz",B/1000,"Bandwidth B = ");
```

Scilab code Exa 9.37 efficiency and redundancy

```
1 //Caption:  efficiency ,redundancy
2 //Example 9.37
3 //page no 430
4 //Find code efficiency ,redundancy
5 clear;
6 clc;
7 px1=0.9;
8 px2=0.1;
9 n1=1;
10 n2=1;
11 L=px1*n1+px2*n2;// code leght
12 HX=px1*log2(1/px1)+px2*log2(1/px2);
13 n=(HX/L);// code efficiency
14
15 printf("\n\tcode efficiency = %.2f ",n*100);
16 disp("          %");
17
18 r=(1-n);//code reduncy
19 printf("\n\n\tcode redundancy = %.2f ",r*100);
20 disp("          %");
```

Scilab code Exa 9.38 Efficiency and redundancy

```
1 //Caption:  efficiency ,redundancy
2 //Example 9.38
3 //page no 431
```

```

4 //Find code efficiency ,redundancy
5 clear;
6 clc;
7 pa1=0.81;
8 pa2=0.09;
9 pa3=0.09;
10 pa4=0.01;
11 n1=1;
12 n2=2;
13 n3=3;
14 n4=3;
15
16 L=pa1*n1+pa2*n2+pa3*n3+pa4*n4;
17
18 HX2=pa1*log2(1/pa1)+pa2*log2(1/pa2)+pa3*log2(1/pa3)+
    pa4*log2(1/pa4);
19 n=HX2/L;
20
21 printf("\n\tcode efficiency = %.2f  ",n*100);
22 disp("          %");
23
24 r=(1-n); //code reduncy
25 printf("\n\n\tcode redundancy = %.1f  ",r*100);
26 disp("          %");

```

Scilab code Exa 9.44 Efficiency

```

1 //Caption: efficiency
2 //Example 9.44
3 //page no 436
4 //Find efficiency of the code
5 clear;
6 clc;

```

```

7
8 px1=1/2;
9 px2=1/4;
10 px3=1/8;
11 px4=1/8;
12 n1=1
13 n2=2;
14 n3=3;
15 n4=3;
16
17 //information content of each symbol
18 Ix1=-log2(px1);
19 Ix2=-log2(px2);
20 Ix3=-log2(px3);
21 Ix4=-log2(px4);
22
23 HX=px1*log2(1/px1)+px2*log2(1/px2)+px3*log2(1/px3)+
    px4*log2(1/px4);
24 L=px1*n1+px2*n2+px3*n3+px4*n4;
25
26 n=HX/L;
27
28 printf("\n\tcode efficiency = %.2f  ",n*100);
29 disp("          %");

```

Scilab code Exa 9.50 Entropy and information rate

```

1 //Caption: entropy ,information rate
2 //Example 9.50
3 //Pge no 441
4 //Find entropy ,information rate
5 //If there are 16 outcomes per second
6 clear;

```

```

7  clc;
8
9  P1=1/2;
10 P2=1/4;
11 P3=1/8
12 P4=1/16;
13 P5=1/32;
14 P6=1/32;
15  r=16; //message rate
16 H=P1*log2(1/P1)+P2*log2(1/P2)+P3*log2(1/P3)+P4*log2
    (1/P4)+P5*log2(1/P5)+P6*log2(1/P6); //Entropy of
    system
17 printf("\n \t i) Entropy of system \n\n \t H=%.4f
    bits/message\n",H);
18 R=H*r; //R=Entropy*message rate
19 printf("\n \t ii) Information rate\n \n\t R = %d bits
    /sec",R);

```

Scilab code Exa 9.51 Entropy

```

1  //Caption: Entropy
2  //Example 9.51
3  //Pge no 443
4  //Calculate H(X) ,H(Y)
5  clear;
6  clc;
7
8  px1=0.3;
9  px2=0.4;
10 px3=0.3;
11
12 HX=px1*log2(1/px1)+px2*log2(1/px2)+px3*log2(1/px3);
    //Entropy of X

```



```

13 printf("\n \t i)Entropy of X \n\n \t H(X)=%0.3f bits
    /symbol\n",HX);
14
15 PYX=[0.8 0.2 0;0 1 0;0 0.3 0.7]
16 PX=[px1 px2 px3]
17 PXY=PX*PYX;
18 py1=PXY(1,1);
19 py2=PXY(1,2);
20 py3=PXY(1,3);
21
22 HY=py1*log2(1/py1)+py2*log2(1/py2)+py3*log2(1/py3);
    //Entropy of Y
23 printf("\n \t ii)Entropy of Y \n\n \t H(Y)=%0.2f
    bits/symbol\n",HY);

```

Scilab code Exa 9.52 Entropy

```

1 //Caption: Entropy
2 //Example 9.52
3 //Pge no 442
4 //Find entropy of source ,entropy of second order
    extension
5
6 clear;
7 clc;
8
9 P1=0.7;
10 P2=0.15;
11 P3=0.15;
12
13 HX=P1*log2(1/P1)+P2*log2(1/P2)+P3*log2(1/P3) //
    Entropy of source
14 printf("\n \t i)Entropy of system \n\n \t H(X)=%0.4f

```

```

        bits/symbol\n",HX);
15 //H(X^n)=n*H(X)
16 n=2;//for second order
17 HX2=n*HX;
18 printf("\n \t ii)Entropy of second order system
        extension of source can be");
19 printf(" \n\n \t H(X^2)=%0.4f bits/symbol\n",HX);

```

Scilab code Exa 9.54 Entropy

```

1 //Caption: Entropy
2 //Example 9.54
3 //Pge no 443
4 //Find entropy of source
5 clear;
6 clc;
7 S0=1/3;
8 S1=1/6;
9 S2=1/4;
10 S3=1/4
11
12 HX=S0*log2(1/S0)+S1*log2(1/S1)+S2*log2(1/S2)+S3*log2
        (1/S3);// EntroSy of source
13
14 printf("\n \t i)Entropy of system \n\n \t H(X)=%0.4f
        bits/symbol\n",HX);

```

Scilab code Exa 9.56 Information capacity

```
1 //Caption: Information capacity
2 //Example 9.56
3 //page no 444
4 //Find Information capacity of telephone
5 clear;
6 clc;
7 B=3.4*10^3;
8 SNR=30
9 SN=10^(SNR/10);
10 C=B*log2(1+SN)//Information capacity
11 printf("Information capacity of telephone is \n\n \
    tC = %.2f kbps",C/1000);
```

Chapter 10

ERROR CONTROL CODING

Scilab code Exa 10.4 errors and corrected errors

```
1 //Caption: errors ,corrected errors
2 //Example 10.4
3 //page no 464
4 //Find detected errors ,corrected errors
5 clear;
6 clc;
7 dmin=5
8 // (s+1)<= dmin number errors can be detected(s)
9 s=dmin-1;
10 printf(" i)Number of detected errors \n\n \t s <= %d
        ",s );
11 //(2t+1)<=dmin number errors can be corrected(t)
12 t=(dmin-1)/2;
13
14 printf("\n\n ii) Number of corrected errors\n\n \t
        t<= %d ",t );
```

Scilab code Exa 10.17 code vectors

```
1 //Caption: code vectors
2 //Example 10.17
3 //page no 498
4 //Determine all possible code vectors
5 clc;
6 clear;
7 m3=1;
8 m2=0;
9 m1=1;
10 m0=0;
11 //M=Message Matrix
12 //G=Generator Matrix
13 G=[1 0 1 1 0 0 0;0 1 0 1 1 0 0;0 0 1 0 1 1 0;0 0 0 1
    0 1 1];
14 M=[m3 m2 m1 m0;];
15 X=M*G;
16 for i=1:7;
17     if X(i)>1
18         X(i)=0
19     end
20 end
21 disp(X,"The code vectors are ");
```

Scilab code Exa 10.19 code word

```
1 //Caption: code word
2 //Example 10.19
3 //page no 501
4 //Determine code word
5 clc;
6 clear;
```

```
7 m3=1;
8 m2=0;
9 m1=1;
10 m0=0;
11 //M=Message Matrix
12 //G=Generator Matrix
13 G=[1 0 0 0 1 0 1;0 1 0 0 1 1 1;0 0 1 0 1 1 0;0 0 0 1
      0 1 1];
14 M=[m3 m2 m1 m0;];
15 X=M*G;
16 for i=1:7;
17     if X(i)>1
18         X(i)=0
19     end
20 end
21 disp(X,"The required code word ");
```
